YOUR OFFICIAL RASPBERRY PI MAGAZINE

The official Raspberry Pi magazine

Issue 65 January 2018 raspberrypi.org/magpi

APHEX TWIN MIDIMUTANT Megastar talks to us about new AI music tool

' The

Manager States And Constrained States and Co



Set up and start using your Raspberry Pi

Find help from the community Discover clubs, meet-ups & other enthusiasts

MAKE GAMES IN C++ Professional video game development

PI-TOP LAPTOP REVIEWED!

The pro laptop with Pi inside

RING IN THE NEW YEAR Build a ringing bell tower

Also inside:

> BUILDING A SMART BABY MONITOR

- > EASY TRAFFIC LIGHTS WITH PI TRAFFIC HAT
- > CREATE WEARABLES WITH BEARABLES KITS
- MANAGE RASPBERRY PI BOARDS WITH PISERVER

Image recognition for your projects











CanaKit Raspberry Pi 3 Ultimate Starter Kit

Model B | 1 GB RAM | 1.2 GHz | Quad-Core CPU

- > Learn to Code
- > Explore Computing
- > Get started with Electronics



Available for worldwide shipping at:

WWW.CANAKIT.COM



ELECTRONIC KITS • ELECTRONIC PARTS • RASPBERRY PI • ARDUINO

Welcome

WELCOME TO THE OFFICIAL MAGAZINE

appy new year! Every January, we welcome Н a huge number of brand new Raspberry Pi users. So come on in, take a seat, and don't mind the robots (they don't normally bite).

First of all, have you seen our new Raspberry Pi for Newbies feature (**page 16**)? It's the perfect welcome for newcomers. You see, the Raspberry Pi community is massive. Our calendar is packed with events, like Pi Jams, Formula Pi, and Pi Wars.

Raspberry Pi isn't just a computer and a charity. We're a community of people who love making stuff with programmable computers. So if you want to learn about digital making with Raspberry Pi, then you've found the right place.

And for all you regulars... Don't worry! We have a magazine packed with project ideas, and a big look at AIY Projects: Vision Kit (page 62). Discover how to set it up, add smart vision to your projects, and how artificial neural networks are created.

We go from welcoming newcomers to building artificial neural networks. How neat is that?

Lucy Hattersley Editor



THIS MONTH:

16 RASPBERRY PI FOR NEWBIES Everything you need to know about the community

30 APHEX TWIN MIDIMUTANT Megastar talks about new Raspberry Pi music tool

62 AIY PROJECTS: VISION KIT Add Google's machine vision tech to your projects

86 THIS MONTH IN PI All the events and happenings around the world

MägPi **EDITORIAL** DESIGN PUBLISHING Editor: Lucy Hattersley Critical Media: criticalmedia.co.uk For advertising & licensing lucy@raspberrypi.org Head of Design: Dougal Matthews Publishing Director: Russell Barnes Features Editor: Rob Zwetsloot Designers: Mike Kay and Lee Allen russell@raspberrypi.org | +44 (0)7904 766523 rob.zwetsloot@raspberrypi.org Illustrator: Sam Alder Director of Communications: Liz Upton Sub Editors: Phil King and Jem Roberts CEO: Eben Upton DISTRIBUTION SUBSCRIPTIONS CONTRIBUTORS oode Pla Seymour Distribution Ltd Select Publisher Services Ltd Alex Bate, Brian Beuken, Mike Cook, 2 East Poultry Ave PO Box 6337 David Crookes, Gordon Horsington, Phil King, $\mathbf{0}$ I ondon Bournemouth Sean McManus, Matt Richardson, Laura Sachs, EC1A 9PT | +44 (0)207 429 4000 BH1 9EH | +44 (0)1202 586 848 Richard Smedley, Clive Webster The MagPi magazine is published by Raspberry Pi (Trading) Ltd., 30 Station Road, Cambridge, CB1 2.JH. The publisher Ö This magazine is printed on paper sourced from editor, and contributors accept no responsibility in respect of any omissions or errors relating to goods, products or services referred to or advertised in the magazine. Except where otherwise noted, content in this magazine is licensed recycle sustainable forests and the printer operates an environmental management system which has been assessed as conforming to ISO 14001. under a Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported (CC BY-NC-SA 3.0). ISSN: 2051-998

FIND US ONLINE raspberrypi.org/magpi GET IN TOUCH magpi@raspberrypi.org

raspberrypi.org/magpi




Contents

Issue 65 January 2018

raspberrypi.org/magpi

TUTORIALS

> PI 101: BUILD A SERVER Use a Raspberry Pi as a small but powerful server	38
> RING IN THE NEW YEAR Build a tower of bells for your New Year's party	40
> BEAT A CHESS PUZZLE Solve the eight queens problem and win \$1 million!	46
> CREATE A CHRISTMAS GAME Can you remember the pattern on the jazzy jumper	50 ?
> MAKE GAMES IN C++ PART 1 Developing games on the Raspberry Pi in C++	54



IN THE NEWS










BIXELS



X86 UPDATE

Welcome to the Raspberry Pi Desktop




Powered by Debian



Raspberry Pi Desktop OS gets a big update

Contents



Learn to use the new Google AIY kit



MIDIMUTANT

Aphex Twin talks about programming classic synth sounds with a Raspberry Pi

MAMBOT This super-duper robot is powered by Pi	32	- and the second
FRUIT NANNY Building a better baby monitor	34	
ETHOSCOPE Creating scientific equipment with the Pi	36	00000



REGULARS

06
58
82
98

COMMUNITY

> INTERVIEW: PI AT UNIVERSITY	84
Aneet Narendranath tells us how Pi will save money	/

> THIS MONTH IN RASPBERRY PI **86** Everything else that happened in the world of Pi

> COMMUNITY PROFILE This month's maker Circuitbeard, aka Matt Brailsford	90
> EVENTS Find an event near you this month	92
> YOUR LETTERS We have answers to your questions	94

REVIEWS

> PI-TOP 2	74

- > BEARABLES 76
- > PI TRAFFIC **78**
- > RASPBERRY PI POWER SWITCH 80

PI-POWERED AITEASMADE STARS IN CHANNEL 4 SHOW

Smart teasmade built using Raspberry Pi features in Channel 4 show: Guy Martin Versus the Robot Car

Raspberry Pi was taken for a test run by speed junkie Guy Martin in Channel 4's recent documentary, Guy Martin Versus the Robot Car.


The Pi powered tea-making robot, ingeniously named

R2-Tea2, was designed and built by Huddersfield's Running in the Halls (RITH), a design and development studio whose "primary focus is designing and developing web and mobile apps, games and installations" according to RITH co-founder and director, Sam Croft.

RITH's brief was "to demonstrate how AI could be used in technology that is readily accessible to anyone that has an interest in physical computing," Sam tells us.

Below R2-Tea2 not only uses and understands natural language, but uses AI to select the correct mug, tea, milk content, and brew time \boldsymbol{n}

Guy doesn't have a smartphone and uses a 15-year-old Nokia. This limited our chatbot idea to using SMS text messages



The idea to make a teasmade came from Guy's love of tea, with the aim that Guy could interact with the robot tea-maker "through some kind of chatbot that would make decisions, based on his [Guy's] responses in the conversation, about what kind of tea to make," Sam explains.

However, Sam reveals that "Guy doesn't have a smartphone and uses a 15-year-old Nokia. This limited our chatbot idea to using SMS text messages."

Robo-tea

R2-Tea2 has "two core components," Sam continues: "The making robot [and] the chatbot, with language processing and basic AI." The actual robot was based around the Pi, hooked up to a £12 Adafruit 16-channel PCA9685

News

PI-POWERED AI TEASMADE STARS IN CHANNEL 4 SHOW



Guy Martin and RITH's Alison Cox filming the show

PWM/servo driver board and two dual H-bridge motor drivers. As "the budget wasn't huge" for R2-Tea2, components needed to be cheap or easily sourced.

"We had one script [to control the robot] that sequenced the firing off of all the separate control scripts, which were nothing more complex than sending high and low signals to the correct pins with the correct delays," recalls Sam.

Look north

It was important that R2-Tea2 could understand Guy's "famous Northern turn of phrase," as Sam puts it, so the language-processing element was programmed to comprehend some of Guy's more unusual idioms.

RITH used Twilio (**twilio.com**) to handle the SMS messaging,

and Google Dialogflow for the conversational interface. RITH then needed a webhook to send texts from Guy's phone to a Python application running on the Raspberry Pi. "To achieve this," Sam explains, "we had to expose our localhost server to the internet by using a service called ngrok." See **ngrok.com** for details.

The AI also analysed Guy's day to "approximate his current stress level". Blending SMS conversation and Guy's activities, R2-Tea2 chose "what kind of cup to use, which kind of tea, how much (if any) milk, and how long the tea should brew for," Sam reveals.

R2-Tea2 was built by two people at RITH: co-founder and director Alison Cox built the robot and the Python script while Sam built the chatbot portion.





Well-known gadgeteer Stephen Fry was invited to play Battleships with a custom RITH build for Channel 4's *Gadget Man* show. The board was the side of a derelict building, projected onto from London's ExCeL exhibition centre. "This was a multiplayer, crowd-based game," RITH Partner Sam Croft tells us, "that anyone in the area could play."



"We worked with Bandai Namco," Sam says, to make a Pac-Man game for Channel 5's *The Gadget Show* "that fitted around the windows of the Millennium Mills building" near ExCeL. The project was awarded (and still holds) a Guinness World Record for largest architectural projection-mapped game. at 218.65m².





RITH developed "a solution for controlling a full-size digger with a Nod ring," a gestural controller that fits on the finger, for *The Gadget Show*. "We created a simple servo-driven arm controlled by computer to interpret the signals coming from the ring," Sam explains. "The digger arm essentially followed the movement of the user's arm."

News BIXELS: THE BIOCOMPUTING DISPLAY

THE BIOCOMPUTING DISPLAY

Irish firm using DNA to play Tetris

rish bio-tech firm Cell-Free Technology has launched a Kickstarter campaign for a "world-first demonstration of a DNA programmed bio-computer that can play Tetris".

Bixels is an 8×8 grid of 'bio-pixels' that can be controlled from a smartphone. As you can electronically control which Bixels are lit, the Bixels act just like the pixels in your screen.

The DNA is synthetically replicated from the same DNA



 \prod

Bixels incorporates almost every aspect of a STEAM curriculum in a single workshop

that allows a jellyfish to glow green – no jellyfish are harmed to make Bixels.

Cell-Free Technology CEO Dr Thomas Meany tells us, "Bixels is a hugely valuable resource for anyone who needs a low-cost way to study fluorescent proteins in a lab, but our real target is STEAM educators." As Thomas points out, Bixels "incorporates almost every aspect of a STEAM curriculum in a single workshop."

DNA for the masses

Bixels places an 8×8 grid of small test tubes (called PCR tubes) onto an 8×8 grid of RGB NeoPixels (controlled by an Adafruit Bluefruit Feather). By mixing the liquid in



the two coloured vials of the kit in each PCR tube, you create a mixture that emits green when the NeoPixel beneath shines blue.

Or, as Thomas explains (very patiently), "The blue vial contains cell-free extract which has the nano-machinery (ribosomes, RNA polymerase, and transcription factors) that, when the DNA is added, can be programmed to produce a protein (in our case fluorescent protein)". A coloured filter within the Bixels housing ensures only the light emitted by the protein is seen.

Bixels is safe to play with and use because of the unique 'cell-free' technology developed by Cell-Free Technology. The 'bacteriophage infection' used breaks down cell walls without harming the contents, leaving you with a liquid that can be biologically programmed "without the fear of a bacteria or other organism [forming]," confirms Thomas.

Bixels has a target of €9267 (£8166), with a basic Bixel Solo kit only costing €90 (£79). See **kck.st/2BwjZyc**.

Below Mix actual

in each test tube

to create a light-

emitting protein

DNA with a special 'cell-free' liquid

Raspberry Pi for professional applications

ടന്മത്

CE/ROHS

CERTIFIED

WIDE RANGE POWER SUPPLY

CAN BUS

Strato Pi enhances the Raspberry Pi and the Compute Module with hardware features that make them suitable for use in professional applications where reliability and service continuity are key requirements.

REAL TIME

CLOCK

UPS

MODBUS

lono Pi is a versatile I/O module that combines digital and analog standard interfaces with the powerful computing core of the Raspberry Pi.

) S F E R A L A B S

www.sferalabs.cc

0000000

HARDWARE

WATCHDOG

POWER

RELAY

.. AND MUCH MORE **DIN-RAIL**


CASE

RS-232

RS-485

News FREE RASPBERRY PI ANNUAL / TWO PHATS ON ONE PI

Below There are plenty of Pi-based puzzles, activities, and fun inside!



FREERY PI ANNUAL

Holiday fun with Raspberry Pi

oly GPIO! Will the evil Dr Bluescreen succeed with her villainous plan, or will The Founders rescue the children of Earth from a fate worse than Excel? Find out in the first ever Raspberry Pi Annual!

This surprise Christmas present for subscribers of *The MagPi* is "packed with all the great word and picture puzzles you'd expect from any fun-filled annual, but also has a guide on getting started with the Raspberry Pi, as well as lots of fun projects using Scratch, Python, Minecraft, and more," says Russell Barnes, Raspberry Pi Publishing Director.

If you're not yet a subscriber of *The MagPi*, don't panic: you can still bag yourself a copy of the Raspberry Pi Annual by signing up to a 12-month subscription of *The MagPi* before 24 January. You'll also receive the usual subscriber gift of a free Raspberry Pi Zero W (with case and cable). Just head to **magpi.cc/Subs1**.

Or you can buy a copy of the Raspberry Pi Annual for just £7.99 from **store.rpipress.cc**.

TWO PHATS ON ONE PI

Make a pHAT mash-up with RasPiO's latest creation: the FullpHAT

R asP.iO's latest HAT allows you to attach two Zerosized pHATs to a single Pi. The FullpHAT also exposes all the unused headers and connectors to give you maximum flexibility with your build.

Alex Eames, of RasPi.TV and RasPiO, tells us: "I tend to design and make something that I want to use," explaining that he wanted to crowdfund the FullpHAT to "assess the demand". There have been over 400 orders of the FullpHAT, twice the initial target.

Alex suggests a few uses for the FullpHAT: a RasPiO InsPiRing



and a Pimoroni Inky pHAT "go well together ... With an Analog Zero and DAC Zero, you can play music or sounds while reading sensors." As you have all the pins broken out, it's easy to add extra components to your build. As with any HAT stack, you must avoid potential conflicts, "but on Gadgetoid's **pinout.xyz** you can check to see which pins/ports most pHATs use" – great tip, Alex! The FullpHAT costs only £8,

from magpi.cc/2ku3dfc.

WEBKIOSK 7 RELEASED

News

NOW TRENDING

The stories we shared that flew around the world



AIY PROJECTS: VISION KIT


magpi.cc/2Aow5fj

Following the screaming success of Google's AIY Projects Voice Kit comes the new Vision Kit. Its 'VisionBonnet' has a Movidius MA2450 vision processing chip for on-board AI processing



magpi.cc/2n0e3dU

Adafruit's read-only Pi script is ideal for anyone building a 'don't touch again' Pi system. Whether that's for a digital sign or IoT device, the script ensures that power failure won't corrupt the installation



WEBKIOSK 7

supports printing. System

friendly web interface".

already updated.

USB drive.

parameters are set by a user-

Raspberry WebKiosk is the last

with the Raspberry Digital Signage

While Raspbian Digital Signage

of Binary Emotions' offerings to be updated to Raspbian Stretch,

and Raspberry Slideshow OSes

is intended for a permanent,

internet-enabled digital sign or

display, Raspberry Slideshow is

running image and videos from a

You can download these OSes for

"focused on quick-to-set-up

image and video slideshows"

RELEASED

Completes line-up of digital signage

and kiosk OSes

WebKiosk 7, completing the

signage and kiosk operating systems to Raspbian Stretch.

Marco Buratto, "Raspberry

WebKiosk is designed for the

migration of its bespoke digital

According to Binary Emotions'

cheapest possible web kiosks and

making the OS ideal for computer

terminals in cafes, waiting areas, libraries, and other public spaces.

Marco adds: "Raspberry

[which uses Chromium and]

WebKiosk is a browser-only ...

hacker-proof operating system

multi-user web workstations,"

ignage and kiosk OS

specialist Binary Emotions

has released Raspberry



magpi.cc/2j0SSag

Simplicity is sometimes best - why code a web-based push-alert system when you can just use a few LEDs and a Sharpie to find out what's what? The Pi Hut's Status Board offers exactly that.

News New PI DESKTOP / PITALK

NEW RASPBERRY PI DESKTOP FOR X86

Updated version for your non-Raspberry Pi PC

Below The latest version of Debian with Raspberry Pi Desktop includes a couple of new applications for makers, tinkerers, and teachers he Debian with Raspberry Pi Desktop operating system for x86 computers (that's your common laptop or desktop) has been updated to Debian Stretch.

Welcome to the Raspberry Pi Desktop



Powered by Debian

There are also new features that make Raspberry Pi Desktop more useful. PiServer shares the operating system of a central computer with multiple Pis, meaning that each Pi is running exactly the same software. That should be useful for teachers when guiding a lesson, or for CoderDojo and Code Club leaders. See our tutorial on page 38 for information on how to use PiServer.

There's also a new GPIO expander application. The problem with a conventional computer is the lack of GPIO pins, but the GPIO expander enables it to access the pins of a Pi Zero connected via USB. You can use the Zero's GPIO pins in either Python or Scratch 2 once you've installed and configured usbbootgui – see the full instructions at **magpi.cc/2kvGsY5**.

Laptop users now get a battery monitor. "Eben [Upton] runs our desktop on his Mac," says Raspberry Pi UX Engineer Simon Long. "And he was becoming slightly irritated by having to keep rebooting into macOS just to check whether his battery was about to die — so fixing this was a priority."

You can download the latest version of Debian with Raspberry Pi Desktop from magpi.cc/2j0TqNm.

PITALK AIMS TO MAKE IOT EASY

Modular hardware and software design

iTalk is an almost 'plug and play' approach to IoT and automation, and can be modified, adapted and added to as you see fit. As long as it hits its Kickstarter target of £1000, that is – see kck.st/2Bf5EGg.



Gajender Singh, CEO of SB Components, is keen to explain that while PiTalk is a "multi– appliance communication platform [that can] interface with inalogue sensors and, of course, benefits from the flexibility of the Raspberry Pi," its real selling point s that "it's intended for people to ise with no or minimum physical emodelling." In other words, no soldering iron required.

As well as not requiring any nardware skills to set up, Gajender cells us, "I didn't want getting it up and running to be the end of che interaction," so PiTalk comes with a ready-to-go software suite.



"The interface is all about making it immediately usable without tying users down to a single use," he confirms. Above PiTalk is a modular IoT and automation platform, with little setup skill needed – even the screen is optional

THE TAKE-EVERYWHERE TESTING TOOL

News

THE TAKE-EVERYWHERE TESTING TOOL

BitScope Micro 'no-brainer' for travelling engineers

itScope's latest scope offers "almost everything you're likely to need" for testing and measurement, according to Bruce Tulloch, BitScope CEO, in a package not much longer than a Pi 3 and less than half as wide.


The BitScope Micro (**magpi.cc/2kuJNGS**) "has a pair of analogue channels, six logic channels, and a waveform generator," says Bruce, but it also includes "a high-speed A/D, D/A, compensated inputs, triggers, range and offset controls, and embedded digital signal processing."

The Micro was designed for the Raspberry Pi, and you can even "use BitScope Micro to monitor your project using the same Raspberry Pi," reveals Bruce. In fact, this is how BitScope tests each Micro during production.

"BitScope Micro comes with everything you need to get started," Bruce confirms, but there are other bundles if you need a Hammerhead or Tom Thumb attachment.

A Pi with a display makes for a "convenient 'stand-alone mixed signal oscilloscope' at a much lower cost," Bruce suggests, while using Pimoroni's Explorer HAT (£18, **magpi.cc/1OAKy46**) allows you to read all the signals that a Pi generates. As Bruce explains, "Without a BitScope Micro, you're more or less 'flying blind' when it comes to seeing and understanding what's actually going on."

The BitScope Micro is available now for \$145 (£108), or for \$98 (£73) each for orders of ten or more – see **magpi.cc/2kt7wr9**.



Use an Explorer HAT to read what's happening in your Pi in real time

GoPiGo

20+ new projects for your Pi robot car.



BrickPi3 LEGO MINDSTORMS + RASPBERRY PI



www.dexterindustries.com

pi-top

Inspiring inventors and creators to seek the skills of tomorrow and create their future, today.





14" FULL HD 1080P SCREEN



CUSTON PASSIVE COOLING BRIDGE

MODULAR RAIL



The modular desktop

Щ.

RAII

14" FULL HD 1080P SCREEN

~



ADJUSTABLE VIEWING ANGLES





pi-topSPEAKER





pi-topPULSE





pi-top

Colors Raspberry Pi 3 optional

AWESOME INVENTOR'S KIT INCLUDED

projects 20+ to explore

Explore beyond the screen and keyboard by creating with the all-new **pi-top** modular laptop.

Get started with 20+ inventions in the inventor's guide booklet. There are 3 inventor's journeys -Smart Robot, Music Maker and Space Race.

pi-topCEED

Colors | Raspberry Pi 3 optional

pi-topCEED is the plug & play modular desktop. It's the easiest way to use your Raspberry Pi. We've put what you love about our flagship laptop in a slimmer form factor. Join hundreds of code clubs and classrooms using pi-topCEED as their solution to Computer Science and STEAM-based learning.

Modular Accessories

🕑 @GetPiTop




pi-top is an award-winning ecosystem designed to make experimenting, coding and building electronics, simple, affordable and fun. **pi-top**OS is here to guide you through the world of making!

The OCR* endorsed **pi-top**OS (Operating system) platform comes pre-installed on the SD card shipped with every unit. **pi-top**OS software suite lets you - browse the web, check emails, - create and edit Microsoft Office compatible files. Gain access to dozens of hands-on learning lesson plans with **pi-top**CODER and have fun learning to code with CEED**universe**!







pi-topCODER has a fully integrated coding environment letting you program hardware, code in Python and learn lots of STEAM skills! Our integrated test framework gives you the ability to assess your own understanding as you learn.


🌶 🖸 1ai 21/2/2012 11 53 am 🛛 🗘



CEEDuniverse

Learn programming concept through our minigames, for example, learn problem decomposition by solving visual programming puzzles

Feature



Get to know your new Raspberry Pi computer and the community

ne of the most common questions we see online is 'I've just got a Raspberry Pi, what should I do with it?' We've all been there: getting

into the latest coolest thing and not being sure where to start. Remember asking your friends what games to get on your first smartphone? If you didn't already keep up with what was hot, you had no idea, and that's the same when you join a new community.

In this article we'll show you how to get started with your Raspberry Pi hardware, as well as how to join the global Raspberry Pi community and become a maker.

Welcome to the world of Raspberry Pi.

ARM: The type of processor the Raspberry Pi uses. It's typically used in small devices such as smartphones

Desktop/Desktop environment: The graphical interface you control with a mouse and keyboard


GPIO: General-purpose input/ output, these are the pins that line the side of a Raspberry Pi and allow you to connect electronic components to it

Terminal: A program that lets you type in commands. It's how computers worked before a desktop environment

0

RASPBERRY PI FOR NEWBIES

Feature



Feature

GET TO KNOW YOUR PI

RASPBERRY PI 3

What actually is the Raspberry Pi?

Processor: 1.2GHz quad-core ARM processor

Memory: 1GB

Networking: Ethernet, wireless

Connectivity: HDMI out, analogue audio/video out (3.5mm headphone hack), Bluetooth 4.1, 4× USB 2.0 in, micro USB power, 40-pin GPIO, Camera Module port (CSI), Display Module port (DSI), microSD card slot

Dimensions: 86 × 56 × 17 mm

0 0 0 0

Weight: 45g

PI ZERO W

Processor: 1GHz single-core ARM processor


Memory: 512MB

Networking: Wireless

Connectivity: Mini HDMI out, Bluetooth 4.1, micro USB in, micro USB power, 40-pin GPIO, Camera Module port (CSI), microSD card slot

Dimensions: 65 × 30 × 5 mm Weight: 9g

00000



WHAT CAN YOUR **RASPBERRY PI** DO?

The Raspberry Pi is a full computer. It has a processor, graphics processor, and memory, just like a normal computer or laptop - it's just a lot smaller.

The Raspberry Pi can be used in any situation a computer could be used. This can be as simple as being used as your desktop computer, or plugged into a

special laptop shell. Other people use them as mini servers in their house, as media computers for their TV, or as tiny computers to power their fun projects. It could be the brains of a robot, control a vegetable garden, or even just blink a light.

The possibilities with Raspberry Pi are limited only by your imagination.


RASPBERRY PI FOR NEWBIES

Feature

SET UP YOUR **RASPBERRY PI**

First time using a Raspberry Pi? Here's how to get it ready







Nodes Regioner should start with WORDS - New Du Offere Bos Software, No and purphere appreciated WORDS Du Offere Bos Software, No and purphere appreciated WORDS Du Offere Bos Software, No and Softwar


>STEP 01

SET UP YOUR MICROSD CARD

The first thing you need to do is make sure your microSD card has an operating system on it so that the Raspberry Pi can run. For newcomers, NOOBS is the recommended way of installing Raspbian, the Raspberry Pi operating system. Download it from **magpi.cc/2bnf5XF** and then unzip the files directly onto a freshly formatted microSD card.

>STEP 02 HOOK IT UP

Like any computer, you need to make sure everything is plugged in properly. Connect the monitor with the HDMI cable to the HDMI port on the Pi, firmly push the microSD card into the slot under the board, plug in your mouse and keyboard, and then finally insert the power so it turns on.







>**STEP 03** INSTALL RASPBIAN

NOOBS will give you the option to use one of many operating systems on your Raspberry Pi. Select 'Raspbian with Raspberry Pi Desktop' and it will boot into it. From here you can set up your wireless internet and any user preferences. It's also a good idea to update the files by opening the Terminal (via the little black box in the top bar) and typing the command:

sudo apt-get install update

...and then press **RETURN**, followed by the command:

sudo apt-get install upgrade

Feature

OFFICIAL WAYS TO ABOUT RASPBERRY PI

Free resources from the **Raspberry Pi Foundation** to help you on your way

hen most people think about the Raspberry W Pi, they think of the computer. What a lot of people don't know is that the Raspberry Pi Foundation is a charity that also provides free resources for people wanting to learn about computing and making. This doesn't just apply to making stuff with the Raspberry Pi either.



raspberrypi.org/resources

The Raspberry Pi Foundation has a rich history of providing free resources for both makers and teachers alike, including offering free teacher training courses with Picademy (magpi.cc/2Bakf96). These range from simple programming lessons to full-on physical projects you can build in your own home. Here are some of our favourites.

WHOOPI CUSHION

📀 magpi.cc/2AgN6IW

This is an excellent project that melds physical making and computer programming. Also, it's an electronic whoopee cushion. This extremely fun project is pretty simple to make with just some foil, paper plates, and other bits you should be able to find around the house.

SCRATCH OLYMPICS /EIGHTLIFTE

omagpi.cc/2B9fOf1

There are plenty of Raspberry Pi resources that make use of Scratch, a beginner's programming language that makes use of blocks to create code. This weightlifter game uses fun retro sprites and a classic game mechanic that you learn to make yourself. You can then challenge your friends on it!

GET STARTED WITH WEARABLES magpi.cc/2B90661


The Raspberry Pi's diminutive size means it's great for projects where space is at a premium. Wearables are a great example of this, and this excellent project teaches you how to upgrade your clothes with some Raspberry Pi magic and a few excellent programmable lights.

BIG MINECRAFT PIANO omagpi.cc/2B9KGvY

There's a special version of Minecraft on Raspberry Pi that you can modify by programming in Python. This particular project shows you how to recreate the big piano from the movie Big in Minecraft, allowing Steve to jump around and make his own music.

RASPBERRY PI FOR NEWBIES

Feature



Code Club is a network of after-school and extracurricular computing clubs that provides free resources for kids aged 9–13 to learn how to code using Scratch and Python. There are thousands of clubs around the globe, so check to see if there's one in your local area. You can even start a Code Club if you want, and there's more info for that on the site. Here are some of our favourite projects.

odeclub.org.uk

THE MAGPI RESOURCES

Oh hey, that's us! We're the official Raspberry Pi magazine, made for the community. Not only is this our 65th excellent issue, we also have a selection of pocket books on single subjects in our Essentials range, as well as our yearly Project Books. If you can't afford or find older issues, every issue of *The MagPi* is available as a free PDF online from our website. Here are some of our favourite releases for beginners – so far!

🛯 magpi.cc

SIMPLE ELECTRONICS WITH GPIO ZERO

magpi.cc/2bA3ZP7 Want to learn how to program physical objects on your Pi? The GPIO Zero library for programming language Python makes this very easy, and this book takes you from the basics all the way to controlling a robot with it.



CHATBOT

😣 magpi.cc/2AgAUb4

Want to talk to your computer? This fun Scratch project lets you create a 'chatbot', a program that tries to simulate the experience of talking to someone. Asking it specific questions will elicit specific responses.

TURTLE RACE

📀 magpi.cc/2kLBki6

This simple Python game has you racing four turtles against each other. The outcome is random each time, so you'll be cheering for your chosen turtle throughout the entire race. This project also teaches some animation tricks with simple graphics.



>trinket ■ scop 0 1 2 3 4 6 7 8 9 10 11 1

LIVE DJ

😵 magpi.cc/2kwaOK9

Sonic Pi is a cool program that lets you write music using code! There's a series of Sonic Pi tutorials from Code Club which teach you the basics of creating your 'loop' for music before finishing off by teaching you how to put it all together in a live show.



ISSUE 50: 50 GREATEST RASPBERRY PI PROJECTS

🛞 magpi.cc/2dcswel

Want to be inspired by all the amazing stuff people have made in the community? We count down the 50 best projects as voted for by the community. We could easily do 50 more amazing projects as well – there are so many talented people in the community!

ISSUE 64: ELECTRONICS STARTER GUIDE

🛞 magpi.cc/2AqrV6q

Our previous issue! Here we show you how to read electronic circuits, and how to construct them so you can make your own amazing projects. Raspberry Pi makes it relatively easy, but you still need a stepping-off point.

THE OFFICIAL RASPBERRY PI PROJECTS BOOK VOLUME 3

🛞 magpi.cc/2Aige2w

Our Projects Books are crammed full of projects and guides that will both inspire you and help you make some incredible things. Our latest version has 200 pages of Pi articles and the cover is very swanky, if we do say so ourselves.



Feature

JOINING THE Community

The Raspberry Pi community is huge and welcoming to everyone



e've talked about how the Raspberry Pi is both a computer and a charity, but it's also a huge community of like-minded makers and coders. Don't be intimidated, though! The community is very welcome to newcomers, as the Raspberry Pi is all about getting people excited to use computers. Here's how you can dip your toes into the community at large.

THE **OFFICIAL** FORUMS

oraspberrypi.org/forums

The official Raspberry Pi forums are a thing of wonder. Hundreds of people come together to help people with their projects and problems – from simple things to incredibly advanced Linux tweaking. If you ever have an issue with the Raspberry Pi or Raspbian, head to the forums and use the search function to see if anyone else has ever had a similar problem and if not, start a new thread.

There are sub-forums dedicated to many specific parts of Raspberry Pi, from beginner's guides and troubleshooting to education chat and info on programming in specific languages.

BLOG	DOWNLOADS	COMMUNITY				
k Start Guide	Forum FAQ About	Press F11 to ex	it full screen	_		
Search the forums v	ia DuckDuckGo Q					🔩 🖴 🛓 robihez
E Board index						Mark forums read
orum				Topics	Posts	Last post
Dinglebi	niy mry forum			1557	13982	Board index Community The Mag by mahjongg Wed Dec 06, 2017 2:37 pm
Community				Topics	Posts	Last post
General	discussion			28488	234560	Re: What is the storage tempe by jamesh Thu Dec 07, 2017 11:05 am
	nguages nity discussion in languages other than En	glish		13767	73714	 Re: Anfänger braucht Hilfe be by amartifahrer Thu Dec 07, 2017 11:05 am
User gro	ups and events			680	2735	Virtual Raspberry Jam by All About Code Sun Nov 26, 2017 11:46 am
The May The Ras	JPI pberry Pi community magazine - feedback	requests and discussion!		138	828	Re: Can't download agczip fo by janpihigren Thu Dec 07, 2017 2:32 am

OTHER FORUMS

Some Raspberry Pi help and discussion can be found outside the official community forums, sometimes dedicated to more specific software or hardware. Here are some good places to take a look for more Raspberry Pi.

RASPBERRY PI SUBREDDIT

• magpi.cc/2AhIO42 The Raspberry Pi subreddit is a great place to see some of the coolest projects from the community

	and the second	
200		γ^{*}
Receiver and	Princip remainer. Preser dan'' pel prol princers al anamel pix- in a pranch	
	Services of COAC Re-Port of an Opproachine True Uses Cubing Edge Servicing: Apply Bill Concentration Services of COAC Re-Port of COAC Re-Port of Coaction (Coaction)	-
		0-
間出る	There do 10° Models Descriptor and Mina Theread + Dav. 2017 generation, or the second	4 ==
	I made Turber powered Overman light? Any time economic boosts with eChristians. The lights branky participation (Internet) (Internet)	
C D D D	Contraction of the last sector	
	Religions using [tigt] over	
ten 🗆 📥	The second second second second	9 3
	MCD Revenue at any determined and any of the second	-
100 - 100	tager ongen BTC wall for with plot and Adehal QLED tarrent inspects	Annes

		-
(m) 🗄 📷	Context spins power messagement adding an entertral activity LED power in taskin a provide power of and a basic power service in a flagging of the shared arithmed sping assessment in the service of the service service in the spin of the state of the service service in the service service service in the service service service service in the service servi	

get highlighted, as well as get news from the community itself about products and updates! They'll even answer some Pi-related queries, although you should check out the official forums for that first.

It's also a great place to show off your project and get feedback for it from the community at large – it's always fun to have a little following, after all!

RETROPIE FORUMS

magpi.cc/2B9laHb A lot of people like to use the Raspberry Pi to play retro games

1000			
Meta and Support mission and support	20.00 1010	06.2¥	Constant Entering and an automatical states Entering particular suggests a suggest a
General Discussion and Carring Interferences on the angle of any program of the second	1.00	26.5k	Protection and Annual Street,
Projecto and Themes month or california, herea, respiratorea	907	20.38	0
Mine and Desclopment meta-meta-strageters between to an insul to anti- service strageters to anot	827	33.9e	
Carttellink, Press Rock & Co.	200	LAN	Comments Section of Section
Annuevaments	18	23	

on it, and RetroPie is one of the premier bits of software for the Raspberry Pi that lets you do this. The forums cover almost everything about the project, including basic help and support, ideas for modding and improving your RetroPie, and even a bit of game discussion as well!

KODI FORUMS

forum.kodi.tv Equally as popular as retro gaming, the Pi is great as a media PC hooked up to your living room TV and most home-theatre PC

KODI			
1 Mart (American Street)			1 + 5- à 0 à mm
and the second design of the second data of the sec			· ·
feren	from the	-	Les her
The Frang Raw Section and Texabala Permanent Are Alling Sold			
Name instance and committing world" process instance.			
Shidd Associates and Target Adde Annual Adde Annu	-	1798	Martine Talificati Nay any fast ment of an 1973 Approximate
national And has well that by maring for sits and maring for board tables pring how			
	· Portante	Perm	Last Post
Nex miles and manife measurements Teach gamles be entire the first	-	1(41)	And the second difficult of the second secon
² Second Second Rest in the contract of the second second second second second Bit Second & Second & Rest Second Sec	10.00	50.50	And none with 100% (by the transmission age to conver-
Microlagest Musicipare & International & Dispersional & D	10.04	10110	Method (performance) and all matching (notice going a second
White leagest Source output and	1428	840	Anaperior Tr. Butterog Radak
Marchanet Marchanet Marchanet	- 10	1874	Manto Blooky understand articipal's suggests Participant of the
Kenne Sugard Second and an and a second se			# lat of Parlame Theo pathters
 Al Line N Ligget In examplement over an applicit a Versite in Internet A Ligget 2 Soliton in August 2 Solitons & Barget Solitons II elevande Constants 4 Print Solitons II Solitons - Barget Solitons 4 Report Solitons II Soliton in Constants - Soliton 4 Soliton 4 Solitons With Solitons II Soliton 4 Development - Market A Solitons 4 Soliton 4 Without Solitons II Soliton 4 Development - Market A Solitons 4 Soliton 4 Without Solitons II Soliton 4 Development - Market A Solitons 4 Soliton 4 Without Solitons II Soliton 4 Development - Market A Solitons 4 Soliton 4 Without Solitons II Soliton 4 Development - Market A Solitons 4 Soliton 4 Without Solitons 1 Soliton 4 Development - Soliton 4 Development - Soliton 4 Without Solitons 4 Soliton 4 Development - Soliton 4 Development - Soliton 4 Without Soliton 4 Development - Soliton 4 Development - Soliton 4 Development - Soliton 4 Without Soliton 4 Development - Soliton 4 Development - Soliton 4 Without Soliton 4 Development - Soliton 4 Development - Soliton 4 Without Soliton 4 Development - Soliton 4 Development - Soliton 4 Without Soliton 4 Development - Soliton 4 Development - Soliton 4 Without Soliton 4	Law	1.75	And a set of the set o
 Berland Stern Park, Darie Law, Darie Law, San Darie Law, Darie	1.00	10.42	Multi that addition for the BB Pill space Multi Pill and BB Pill space Pill and BB Pill space
A Applementary hash for that	Life	111.81	Paul in more Decisional or uping

software solutions will use Kodi for this. While you may be better off looking at the documentation for your particular software, if that doesn't help then you can always check out the Kodi forum. It's a big and busy forum, though, so remember to make good use of the search function!

RASPBERRY PI FOR NEWBIES

Feature

CODE HELP

It's probably no surprise to hear that there are a lot of people in the world who code. Whether they're professional coders for big companies or teens playing with Python, they all have one thing in common: sometimes they might need a little bit of help. There are a couple of great places to head to when you find yourself up against a proverbial brick wall.

Google


GOOGLE

🛞 google.com

We're not being patronising here – a good Google search will genuinely help you out with many code issues. There's nothing new under the sun as they say, and there's usually someone who has had the exact same issue as you, or you might trip over the wording for what you want to do in a very helpful bit of official documentation. Always give any issue a quick Google and you may be surprised at how easy you can find an answer, and how simple the solution may be.

STACK OVERFLOW

This website is one of the best places to ask about coding problems as not only is it incredibly popular, rewards are given to people who help out with an answer. We've seen people ask questions on a huge number of topics at varying skill levels, such as how to correctly call an item from a Python list or use complex database commands for a website. There's also a robust search feature included, and Google will generally point you towards pages on Stack Overflow if you've looked there for answers first.



SOCIAL MEDIA

Here are some great social media accounts that you should follow

y

TWITTER

@Raspberry_PiThe official Raspberry
Pi Twitter account

@TheMagP1Our official

Twitter account

@pimoroniMaker of fun Pi projects and add-ons

@FormulaPi_

Raspberry Pi-powered racing robots

-FACEBOOK

raspberrypi The official Raspberry Pi Facebook account

MagPiMagazine Our official Facebook page

RpiSpy

Raspberry Pi Spy is a great way to keep up on Pi news and see awesome tutorials

codeclubuk

The official Code Club UK Facebook account, keeping you up-to-date on all the cool things they do



Feature


PROJECTSE

Want to be inspired? Here are some amazing projects that we've seen from the community



very day we keep an eye on Twitter and Ε Reddit to see what amazing stuff people are coming up with to do with their Raspberry Pis. Here's just a taster of what we see online and what you can see in the magazine.

AIY PROJECTS



MARTIN MANDER'S INTERCOM PROJECT IS RETRO AND LOVELY omagpi.cc/2vPQK6E

An amazing project that uses the AIY Projects Voice Kit from issue 57 to hack an old-school intercom to become a digital voice assistant. It's an ingenious bit of repurposing, and we always love seeing what Martin Mander is going to upcycle next. For some reason, though, everyone else has been having the same idea and we saw loads of toy phones and intercoms and other voice-powered products upgraded with an AIY Voice Kit. Here are a couple of our favourites...



OPERATOR!

😣 magpi.cc/2vN4rE0

More retro upcycling with this old-school phone upgraded with an AIY Voice Kit. Just dial 0 and you can talk to the assistant to get answers to your everyday queries. We have visions of someone just picking it up and putting it under their chin to ask for ounce-to-gram conversions while they mix some batter, Nineties style.

Arden Albert

Got our retro home assistant running with @Raspberry_Pi and #GoogleAssistant . Now we can dial '0' for the operator (Google)! #AIYProjects

(Follow)



KIDS SMARTPHONE

📀 magpi.cc/2vMuSty

This one is a little mean but honestly, we laughed. The Fisher-Price Simon Jackson toy phone is a true classic and we love the idea of it getting a very hefty upgrade with AIY, complete with massive glowing button in the centre. Would it be creepy if you had it sing while the eyes moved? Very probably.



RASPBERRY PI FOR NEWBIES

Feature

WEEKEND PROJECTS



Follow

Blogged: Tomy Turnin' Turbo Dashboard Outrun Arcade - The build log for my mini #outrun arcade circuitbeard.co.uk/2017/08/28/tom ...

#raspberrypi



OUT RUN TOMY TOY magpi.cc/2xckwUo

While we have seen many console or arcade hacks over the past few years, this inventive hack of one of those sports car dashboard kids toys wowed us when we saw it. It doesn't hurt that it's themed around Out Run, one of the best arcade series of all time.

FRED-209

8 magpi.cc/2BjtDak

A custom Nerf-firing robo-tank that gives you only 20 seconds to comply. We got a bit of a preview of this last month and we've been excited to see the final product. Follow the link to learn more and see it in action!



•

•

HALLOWEEN PROJECTS

magpi.cc/2yMfQrI The picture for this project doesn't really do it justice, so take a quick look at the video: magpi.cc/2yMgAgu. Needless to say, it's a very effective and scary project that uses a little illusion and a motion sensor to make you think the painting is moving. And attacking.



HAUNTED JACK-IN-THE-BOX magpi.cc/2yMcogZ

This automated jack-in-the-box uses a camera to detect if someone is around. If you turn up in front of it, surprise! Pop goes the weasel and also about three years off your life. Put it in an inconspicuous part of your house to scare the bejeesus out of friends and children.



THE POPLAWSKIS' HOLIDAY FRIGHTS

© magpi.cc/2yMfIse The theme has since been changed to Christmas holiday lights, but the original setup allowed you to control Halloween decorations on the Poplawkis' lawn. There's a camera recording the whole thing, and you can control various decorations – with the option to keep your selection active for one minute by spending a credit (costing 10 cents).

Feature

•

COMMUNITY **EVENIES**

Meet Raspberry Pi users in real life and see talks by computing boffins that might help you

> he Raspberry Pi community online is so big that it regularly leaks into the real world, usually through the power of a Raspberry Jam. However, the Pi makes itself into many other events that involve technology, such as Maker Faires.

CODER**dojos**

CoderDojo is part of the Raspberry Pi Foundation and, much like Code Club, provides free resources for people wanting to create programming clubs for kids. There are also CoderDojo events such as the Coolest Projects showcase, allowing young people to show off the awesome stuff they've been making.

coderdojo.com

Pi-monitored bees make them a bit safer to keep

RASPBERRY **JAMS**

A Raspberry Jam can be a lot of things, but usually it's a social event people can attend to learn about the Raspberry Pi. Typically you'll see people showing off their projects, as well as stalls where you can buy Raspberry Pi add-ons and electronics kits.

These Jams are hosted by community members; in fact, anyone can host a Jam if they wish! Head over to the info page to find out more on Raspberry Jams, including an events calendar so you can try to attend one!

🛯 rpf.io/jam

The Raspberry

parties are huge

weekend-lona Raspberry Jams

Pi birthday

The yearly robot challenge Pi Wars spun off from the popular CamJam

カメラで顔を認識すると、

オロオ

Be sure to check out the #raspberryjam hashtag on Twitter to see what awesome things people

are showing off

RASPBERRY PL COR

You can find robots galore at the Coolest Projects showcase

Glowing ping-pong balls are a favourite for LED projects

GET INVOLVED

Get all the info you need to set up your own Raspberry Jam: magpi.cc/2q9DHfQ

Feature

RASPBERRY PI **RETAILERS**

Want to buy more Pi goodies? Take a look at these places...

PIMORONI

of making.

Shop.pimoroni.com Purveyor of Raspberry Pi goods and general maker ware, Pimoroni is one of our favourite places for fun and beginner-level projects, while also offering plenty of components for almost any project you can think

THE PI HUT thepihut.com

The Pi Hut sells a lot of Pi add-ons and gear, along with robot parts from the excellent PiBorg, as well as a host of simple kits like the cute 3D Xmas Tree. It also has a robust maker store with plenty of extra parts you'll need for many projects.




ADAFRUIT ada<u>fruit.com</u>

Adafruit not only creates incredible electronics for makers, but also posts amazing tutorials that make use of some of its electronics. There's plenty of Pi-compatible stuff and it's perfect for getting Pi paraphernalia if you live in the US.







MODMYPI

8 modmypi.com

While it does carry a lot of Raspberry Pi-specific hardware and add-ons, we love how much maker gear you can also get at ModMyPi, including obscure components you might have trouble finding elsewhere.



PI SUPPLY pi-supply.com

A great online store for everything Raspberry Pi, Pi Supply usually has some very interesting Pi add-ons, and they accompany projects as well, including the Flick 3D gesture boards and the PiJuice mobile power HAT.



SUBSCRIBE TODAY AND RECEIVE A

FREE PIZEROW



Subscribe in print for 12 months today and receive:

- A free Pi Zero W (the latest model)
- Free Pi Zero W case with three covers
- Free Camera Module connector
- Free USB and HDMI converter cables

Other benefits:

Summer

- Save up to 25% on the price
- Free delivery to your door
- Exclusive Pi offers and discounts
- Get every issue first (before stores)

• -

Mad

Pricing Get six issues:

£30 (UK)

£45 (EU)

\$69 (USA)

£50 (Rest of World)

Subscribe for a year:

£55 (UK) **£80** (EU) **\$129** (USA) **£90** (Rest of World)



Get three issues: £12.99 (UK) (Direct Debit) \$37.50 (US) (quarterly)

How to subscribe:

- magpi.cc/Subs-2 (UK / ROW)
- imsnews.com/magpi (USA)
- Call +44(0)1202 586848 (UK/ROW)
- Call 800 428 3003 (USA)





SUBSCRIPTION FORM

YES! I'd like to subscribe to *The MagPi* magazine and save money


This subscription is: For me A gift for someone* Mag#65
YOUR DETAILS Mr Mrs Miss Ms
First name
Address
Postcode
Daytime phone Mobile
*If giving The MagPi as a gift, please complete both your own details (above) and the recipient's (below).
GIFT RECIPIENT'S DETAILS ONLY Mr Mrs Miss Ms
First name
Address
PostcodeEmail
PAYMENT OPTIONS
1 DIRECT DEBIT PAYMENT £12.99 every 3 issues (UK only) Instruction to your bank or building society to pay by Direct Debit
Please fill in the form and send to: The MagPi, Select Publisher Services Ltd, PO Box 6337, Bournemouth BH1 9EH Service user number 8 3 8 7 7 3
Name and full postal address of your bank or building society:
To: The Manager Bank/building society
Address
Postcode
Name(s) of account holder(s)
Branch sort code
Reference (Official use only)
Instruction to your bank or building society Please pay Select Publisher Services Ltd Direct Debits from the account detailed in this instruction subject to the safeguards assured by the Direct Debit Guarantee. I understand that this instruction may remain with Select Publisher Services Ltd and, if so, details will be passed electronically to my bank/building society.
Signature Date
Banks and building societies may not accept Direct Debit instructions for some types of account.
SUBSCRIPTION PRICING WHEN PAYING BY CHEQUE OR CREDIT/DEBIT CARD
6 ISSUES UK £30 Europe £45 Rest of World £50
12 ISSUES UK £55 Europe £80 Rest of World £90
2 CHEQUE I enclose a cheque for (made payable to Select Publisher Services Ltd)
3 CREDIT/DEBIT CARD Visa MasterCard Maestro Switch
Card number
Expiry date Valid from (if shown)
Issue number (if shown) Security number (last 3 digits on the back of the card)
Signature Date / / / / / /
I would like my subscription to begin from issue (month + year)
RETURN THIS FORM TO: <i>MagPi</i> Magazine Subscriptions, Select Publisher Services Ltd, PO Box 6337, Bournemouth BH1 0EH

Please tick this box if you DO NOT want to receive any other information from Select Publisher Services Ltd.

Please tick this box if you DO NOT want to receive any other information from other companies.

Please tick this box if you DO NOT want to subscribe to The MagPi newsletter.

Projects **SHOWCASE**



The custom MIDI interface is used to send synth data to the TX7

PHEX TWIN DIMUTANT

- Making a good patch manually can take days
- Midimutant can make thousands of patches per day...
- ..But only about half of them are useful
- Dave coded Midimutant in C++
- He now has 3792 saved Midimutant DX7 patches

Somewhere in Cornwall, there's a synthesizer that boinks endless strange sounds as they slowly evolve towards a new synth patch. Sean McManus investigates

f you're a fan of '80s pop, you'll have heard the Yamaha DX7. It's one of the best-selling synthesizers, and its built-in sounds can transport you to the era of big hair and neon leggings. One reason it is evocative is that so many artists used those preset sounds, to the point of them becoming a cliché. The synth is based on frequency modulation (FM), and it could take a few days to create a good patch (or sound). Many chart-toppers took the easy way out.

"I'm nuts about FM synthesis," says Richard James, who creates

electronic music as Aphex Twin. "The first proper synth I got was a DX100 and I've always thought there's got to be a more interesting way to program the damn things than laboriously going through all the hundreds of parameters. Even though I quite like doing that anyhow, hehe."


A conversation with his friend Dave Griffiths led to Dave building Midimutant, a Raspberry Pi-based device that programs the synth for you. "This is something you want to leave running for hours," says Dave. "The Raspberry Pi is

essential because you can make a stable setup that isn't going to start updating itself and reboot."

The idea came from a lost feature on the Kyma synth, based on the work of Andrew Horner, which enables sounds to evolve. Midimutant uses a similar approach: you give it a sound, and it aims to recreate it on the Yamaha TX7, a version of the DX7 without a keyboard. "There's nothing especially great about a TX7 apart from I love all forms of FM and that is a really small unit, so it's a lot easier to handle than

APHEX TWIN MIDIMUTANT

Projects



a DX7 or other FM devices I've got lying about," says Richard.

Dave adds: "The DX7 is the 'classic' FM synth. If it works on that, it would work on anything."

Random scoring

At the start, a population of random sounds is created. Each one is compared to the source sound using Mel-frequency cepstral coefficients (MFCC), a way of comparing sounds that comes from recent work on speech recognition. Above Midimutant sits on top of the Yamaha TX7 synth. The Raspberry Pi Touch Display is used for control

it usually (although not always) converges on something good," says Dave. The most interesting sounds emerge from trying to match beats and voices.

One fascinating aspect of the project is that Midimutant doesn't need to understand how the synth functions. It just needs to know how to format the (initially random) data so the synth can use


The DX7 is the 'classic' FM synth. If it works on that, it would work on anything

Each of the random sounds is scored and ranked for its similarity to the source. The program gets rid of the lowest scoring half, and creates a new population by copying with errors (mutation) and crossbreeding (mixing together) the top half. "Repeat this process tens or hundreds of times and it, and it uses the sound the synth produces to score the results.

The biggest challenge? "Listening to endless bonkers sounds for days on end, changing parameters slightly and waiting ages to see if there was an improvement," says Dave. "Actually, that was quite fun..."



MAKING MIDI SOUNDS WITH MUTATION



>STEP-01


Record your sound

Use the USB microphone to record the source sound you want Midimutant to try to match. Short sounds will evolve faster.



>STEP-02 Run the algorithm

Midimutant creates a random set of synth patches. It sends the data to the synth using MIDI. The synth plays the sound, and Midimutant 'listens' with the microphone.



>STEP-03 Do patch sex!

The sounds are compared with your original. The best ones are evolved with random mutations. Use the 'patch sex' option to combine sounds, too. For best results, leave it running overnight.



Quick Facts

- Mambot has seven degrees of freedom
- The camera streams video to a local web address
- Six AAA batteries power the motors
- Mambot originally had a wagging tail
- Shape and colour recognition are planned

Above Ahmed first experimented with mounting the arm on a two-wheeled chassis, before opting to customise an OWI All Terrain Robot kit

MAMBOT

Is there anything Ahmed Al-Faris's remarkably versatile robot can't do?

e get to see a lot of Pipowered robots, but rarely (if ever) one crammed with quite so many features as Mambot (**youtu.be/AtQqE1M9Ff4**). The creation of software developer Ahmed Al-Faris, it features a manipulator arm, five control methods (including autonomous), video streaming, Alexa voice interaction, obstacle avoidance



system, and the ability to read text. Not only that, it is even integrated with the eAccounting ERP system at Ahmed's employer, Visma Software International, enabling it to scan and handle orders.

It has certainly come a long way since Ahmed's original aim: "At the beginning, I just wanted to turn two wheels using the Pi." He reveals that the Mambot hardware is constructed primarily from the OWI-535 robot arm and OWI All Terrain Robot kit. "Both have been disassembled, reconfigured, and customised heavily. Trying to fit everything together was tricky. A lot of hacks were involved using bits and pieces." Ahmed has been working on Mambot for around a year, using the little free time he has. "There were many moments of desperation, where I wanted to abandon the whole build," he admits. "Perseverance was the key to continue."

Pi programming

Mambot's software is written primarily in Python. "I used Python before now and then to automate tasks around the house," says Ahmed, "but this is my first major Python project." Other programming work included the creation of an Android app (in Java) which, as well as offering

MAMBOT

Projects

BUILD A MULTIFUNCTIONAL ROBOT



>STEP-01 All-terrain chassis

After experimenting with a robot arm on a two-wheeled chassis, Ahmed opted to use the caterpillar-tracked base from an OWI ATR kit. He mounted the circular arm base and Raspberry Pi 3 on it.



>STEP-02 Motor drivers

To connect all the add-ons, such as a speaker, mic, and ultrasonic sensor, Ahmed used every available GPIO pin. Mambot's motors are controlled via four L2g3D dual H-bridge drivers.



>STEP-03 Camera mount

After reattaching the manipulator arm to its circular base and wiring it up, Ahmed placed a basic mount on the top of the gripper head to hold the Pi Camera Module for video streaming.

remote control of the robot and arm, acts as a hub for accessing all Mambot's features.

"I started by adding gamepad control first. Then I thought, why not write an app for it?, so I did. The voice control was particularly challenging. I use Snowboy hotword to issue voice commands. It works great in a quiet environment."

Everything is handled by a Raspberry Pi 3. "As I kept on adding features, I quickly realised controlling it from the gamepad at the same time."

Following orders

With the eAccounting integration, Mambot listens for incoming orders and when one is received, it matches it with the job that needs to be carried out. "Say the order is to pick up an item from a warehouse or perform a service like sweeping the floor. Mambot performs the order, updates, and reports back to the system."

I started by adding gamepad control first. Then I thought, why not write an app for it?, so I did

that running everything on a single Pi could be problematic. Enter multithreading." After running the main Bluetooth routine on the Pi to accept a connection from the Android app, and start video streaming and the web app server, you can easily switch on/off the features you want. "Each feature runs on its own thread. The Pi handles this nicely. For example, you can control Mambot from the app while someone else is

Mambot has another neat trick up its sleeve: using machine learning, it can predict when the next order will arrive. "Before the time comes, Mambot moves to the location where the predicted order is supposed to be carried out." If it arrives, Mambot performs the task; if not, it learns from this to improve its predictions in the future. "The more orders you send to the system, the more accurate the prediction is."



Above As well as offering full control of the robot, and a live video stream, the Android app enables you to turn Mambot's many features on and off

Projects

SHOWCASE



DMITRY IVANOV

Born in Russia, Dmitry is a software engineer. His son was born in Prague and he now lives in the US with his wife. magpi.cc/2jy01v0

> The lights are divided into four groups of three infrared LEDs, a 27 Ω resistor and a TIP120 transistor

FruitNanny uses a Pi NoIR camera module. It also has a DHT22 sensor to detect temperature and humidity

 Dmitry has made the case model available, but he wishes it were bigger and had more ventilation holes

FRUITNANNY

Quick Facts

- Dmitry bought his first Raspberry Pi in 2013
- He wrote programs that communicate with sensors on it
- FruitNanny taught him 3D modelling, soldering, and web development
- Most parts were bought from Adafruit and Amazon
- The system is based on Raspbian

Rather than throw a tantrum when he failed to find the perfect baby monitor for his newborn, **Dmitry Ivanov** decided to get creative

aby monitors have grown up fast. Once confined to audio, they now have all

manner of gubbins inside them, from cameras and night vision to temperature readings, two-way talk, and even lullabies. For many parents, they're an essential tool for ensuring a baby is comfortable and safe. But although there are so many on the market, none of them suited Dmitry Ivanov. So he grabbed a Raspberry Pi and made his own.

Called FruitNanny, the invention essentially began with a cameraconnected Pi stuffed inside a plastic lunchbox. "I'd ordered the Pi NoIR module and a microphone and started to experiment," he tells us. "I played with different programs and tools, but most of them didn't work."

He found the original Pi wasn't powerful enough for the job and switched to a Pi 3. "I spent lots of sleepless nights trying to find the right combination," he continues. "But when I finished a proof of concept with a working setup in a lunchbox, I started to think about a case and a proper web application to combine information from sensors and media streams."

As a bare minimum, Dmitry wanted his baby monitor to stream audio and video to his PC without latency. He also wanted it to show the current temperature and humidity, work at night, and have a quiet mode where it was possible to see the audio streams but not hear them. Sticking with the NoIR camera and a cheap iPhone lens to widen the viewing angle, he added a DHT22 sensor to gather the temperature and humidity data. He also used twelve infrared LEDs for night vision and added resistors.

Custom case

"I started to design the case too," he says. "I had several cases for Raspberry Pi, but I couldn't fit all of the hardware inside. I wanted something that looked pretty and not boring like almost every other baby monitor." He considered making it in the shape of a toy like Ironman or a Minion. "But I soon realised that I don't have a designer's talent. I tried 3D modelling with SketchUp and a

Projects

THE STATES OF FRUITNANNY





>STEP-01 A tight squeeze

The Raspberry Pi 3 is placed within the specially printed case. The sensor, transistors, and LEDs are connected to the GPIO pins; the Camera Module to CSI; and microphone to USB.

>STEP-02 The case lid

The case lid is fitted with twelve LEDs. The Camera Module – equipped with an iPhone lens – is placed in the centre hole. The lid is screwed to the case.

>STEP-03 Accessing the stream

FruitNanny uses a custom web UI and works with Windows, Linux, Android, and macOS. The dashboard allows the video feed to be viewed, along with the current temperature and humidity.

3D printer for the first time and after several failed attempts and with the help of a friend, Christos, printed a simple rectangle, which worked well."

The case is actually in four parts. The Pi and the electronics are fitted in the main part of the case and a cover is placed over the top. There is a cap for easy access to the Ethernet port of the Pi and a DHT22 cradle which isolates the sensor from the Pi and protects it from heat. Fitting the electronics together proved relatively straightforward. The software was a little trickier.

"I had used a UV4L video driver at the beginning because it was easy to install and configure," he recalls. "But it's a proprietary



product and it wasn't easy to customise. I wanted to add my own video settings and extended web UI, so I decided to use something different. Since I needed a realtime media stream without latency, I found an amazing project from Meetecho, called the Janus WebRTC Gateway. I took this, added GStreamer and several scripts, and tied everything up with the Node.js web application."

The baby monitor worked a treat, providing an affordable and secure video baby monitor that Dmitry could potentially customise in the future. Yet he admits he only used it for a few months: "When my son turned one, we started to use it very rarely." Even so, he says his head is now full of new projects. "I'm also still going to work on the FruitNanny occasionally to help people in the same situation I was in."

raspberrypi.org/magpi

Projects

SHOWCASE



GIORGIO GILESTRO

Dr Gilestro heads up a research laboratory at the Department of Life Sciences at Imperial College London. magpi.cc/2i3vTHt

ETHOSCOPE

Quick Facts

- They help scientists gain insights into human illnesses
- The ethoscope records and classifies flies en masse
- It can monitor fly behaviour and study responses
- The Pi-based ethoscope can be built for £100


Scientists have created mini robotic labs powered by Raspberry Pi to test the behaviour of flies – and learn more about humans

he Raspberry Pi isn't quite capable of performing complex brain surgery (at least not yet), but that doesn't mean it can't help scientists work out how our minds are wired. So when a group of researchers looked for a low-cost way of conducting studies in neuroscience, they turned to our favourite computer. The result is a machine with the potential to make groundbreaking discoveries about common human behaviour. And its secret ingredient? A load of flies, of course

Behavioural arena

Dr Giorgio Gilestro and his colleagues from Imperial College London have used the Raspberry Pi to create what they call an ethoscope: a device that can not only track animal behaviour using open-source hardware and software, but profile it using machine learning algorithms. They use fruit flies within their studies because they are similar to humans in genetic and behavioural terms: they can be used to study mental and physical human diseases and give insights into sleeping and socialising.

But instead of manually watching the flies and scoring their movements, as has been the case in the past, the Pi-based ethoscope is able to process and analyse real-time video. In doing so, it allows scientists to automate such time-consuming processes. "We can also study hundreds or



maybe thousands of flies at once because [the ethoscopes] are so small and cheap to maintain," explains Giorgio. "By using the Pis, we have enough computer power to analyse their behaviour using video imaging and we can be wallet-

friendly at the same time." At first, the group used USB webcams connected to desktop computers running software that would analyse the behaviour of the

Projects

WATCHING THE BEHAVIOUR OF FLIES







>STEP-01 Setting it up

A total of 20 flies are placed into the 20 3D-printed tubes that make up this particular behavioural arena. The unit is then inserted into the bottom of the ethoscope.

flies being filmed. "This was very

it wasn't very scalable or userfriendly," Giorgio says. "There was also an issue of people running the

program on different computers

got around this problem and the

and hardware." Using the Pis

scientists, led by PhD student

Quentin Geissmann, eventually

came up with a scalable device.

accessible because almost everyone has a computer and a webcam, but

>STEP-02

Monitoring automatically Software built on top of Linux and Python makes use of the Pi NoIR camera and begins to gather data. A web interface controls the device and allows the flies to be watched.

Right Dr Gilestro's laboratory has 80 Pi-powered ethoscopes set up within it

Bottom Right As well as 3D-printing the cases, it's possible to make the ethoscope from LEGO or cardboard

Eight behavioural arena decks have been created for research into areas such as feeding, sleep patterns, and decision-making. It's certainly proving to be revolutionary ("it's been very well received in the community," he

Research into areas such as feeding, sleep patterns, and decision-making

After deciding to use a 3D-printed modular design for the body of the ethoscope, they were able to place a Raspberry Pi on top, connected to a downward-facing camera. The idea was to film a 'behavioural arena' at the bottom, filled with flies and lit by an infrared LED. adds) and because the ethoscope is open source and the full instructions are online, it's been quick to take off. In actual fact, there is already talk of future iterations. "It's almost like a commercialised product," Giorgio tells us. >STEP-03 Wake up!

In the sleep study, the ethoscope will work out when a fly appears to be sleeping. This added module can flip the tube to wake it up and see what happens.





SET UP PISERVER ON DEBIAN WITH RASPBERRY PI DESKTOP

You'll Need

- Raspberry Pi 3
- PC or Mac
- Debian with Raspberry Pi Desktop
- Raspbian

Boot multiple Raspberry Pi devices at once using a PC/Mac computer running Debian with Raspberry Pi Desktop

ebian with Raspberry Pi Desktop is an operating system built by the folks at Raspberry Pi, and it has just been upgraded to the Debian Stretch edition.

It's a great way to experiment with the clever Raspberry Pi environment, including all its specialist coding and resource tools, on old hardware.

However, this new update brings a really handy new tool called PiServer. Developed by the Raspberry Pi team, this piece of software enables you to boot Raspberry Pi devices from a Mac or PC running Debian with Raspberry Pi Desktop.

The idea is to use an old PC or Mac computer to boot multiple Raspberry Pi devices without requiring a microSD card for each Raspberry Pi 3 (only Raspberry Pi 3 boards support network boot at the moment).

PiServer is perfect for classrooms and coding groups. Users can log in to their account from any Raspberry Pi on the network, and access their saved files and programs. And you don't need microSD cards for your Raspberry Pi.

		PiServer		_ 🗆 🗙
• 🤗 Users		/ Reset Password	Remove	
Clients	User	Grou	р	
Software	Lucy		al users	
-	Phil	Norm	al users	
Settings	Rob	Norm	al users	
	Russell	Norm	alucara	
You can set up user ach person on the net natter which Raspberry their files are saved t	work. It doesn't / Pi they use, all	the netwo main des PiServer needs a r	ork and they car ktop Mac or PC . None of the Ra nicroSD card (af fou can run diffe	rry Pi devices to all boot from th computer runnin spberry Pi board ter the first setu rent Raspberry F ms via Pi Server

HOW TO: SET UP PI SERVER

>STEP-01 Update to Stretch

You'll need to install Debian with Raspberry Pi Desktop on an old Mac or PC desktop or laptop. If you haven't already installed the Raspberry Pi operating system on a Mac or PC, read this guide (**magpi.cc/2wkkThL**) If you've installed it previously, you'll need to upgrade to Stretch, so open a Terminal window and enter:

sudo nano /etc/apt/sources.list sudo nano /etc/apt/sources.list.d/raspi.list

In both files, change every occurrence of the word 'jessie' to 'stretch'. When that's done, enter the following commands:

sudo apt-get update

sudo dpkg --force-depends -r libwebkitgtk-3.0-common

- sudo apt-get -f install
- sudo apt-get dist-upgrade
- sudo apt-get install python3-thonny
- sudo apt-get install sonic-

pi=2.10.0~repack-rpt1+2

- sudo apt-get install piserver
- sudo apt-get install usbbootgui



Tutorial

🖲 🕘 🔂 🏘 🔇 📰 pi(kraspberrypi

	Policial Control of Co	
GNU nano 2.7.4	File: /boot/config.txt	Modified
# Enable audio (loads	s snd_bcm2835)	
dtparam=audio=on		
program_usb_boot_mode	e=1	

>STEP-02

Set up network boot

Now you need to set up network boot on each Raspberry Pi 3 you intend to use. For this, you'll need a microSD card with a fresh installation of Raspbian. You only need the microSD card to enable network boot.

Boot the Raspberry Pi and enter the following:

sudo apt-get update && sudo apt-get upgrade sudo nano /boot/config.txt

Add this line to the end of the file:

program_usb_boot_mode=1

Save and quit (**CTRL+O**; **CTRL+X**) and reboot your Raspberry Pi.

sudo shutdown -r now

Check it with:

vcgencmd otp_dump | grep 17:

Ensure the output says '17:3020000a'. The client configuration is almost done. The final thing to do is to use:

sudo nano /boot/config.txt

...and remove the **program_usb_boot_mode** line from **config.txt** (make sure there is no blank line at the end). See 'Network Boot your Raspberry Pi' for more information (**magpi.cc/2BUVCd7**) on setting up network boot.

Finally, shut the client Raspberry Pi down with **sudo shutdown -h now**. Remove the microSD card.

100		Introduction – 🗆 🗙
	Introduction	Introduction
	Add clients Add users Add software	PiServer enables you to set this computer up as a central server from which multiple Raspberry Pis can be remotely booted. Requirements
	Installation	
	Finished	Only Raspberry P1 3s can be used. They must: - have network boot enabled. - be connected via Ethernet to the same network as this server. - use the same keyboard layout as this server. This server must have Internet access to download required software.
		Process
		This wizard will guide you through the following process:
		 Registering Raspberry Pis with the server. Creating user accounts. Installing an operating system.
		Gancel Next

>STEP-03

Open PiServer

Back in Debian with Raspberry Pi Desktop, open the PiServer app (Preferences > PiServer). Read the Introduction and click Next.

Make sure the Raspberry Pi you want to boot has the microSD card removed, and an Ethernet cable attached. Connect the power supply to the Raspberry Pi. You should see a MAC address (six hexadecimal digits) appear in the list.

Make sure a tick is next to the MAC address of your Raspberry Pi and click Next.


>STEP-04 Create user

Now enter a name for the user who is going to connect. You can add multiple users and passwords (one for each child in a school, for example). Fill out the User and Password fields for each user and click Next.

>STEP-05 Install 0S

Now choose the operating system you wish to install on the Raspberry Pi. By default you have two options:

Raspbian Raspbian Lite



	Installation	05
Introduction Add clients Add users Add software	Installing software Please wait while the software is installed.	
Installation		
Finished	4%	
	512 MB of 1265.4 MB 36.4 Mbit/sec 4 minutes left	

You can also upload operating systems from local files or enter a URL. Make sure Raspbian (not Raspbian Lite) is selected for our test, and click Next. Wait while it installs the software (it took us around five minutes – it depends on your network speed).

>STEP-06

Run the Raspberry Pi With the installation finished, you'll see the main interface (as shown in the annotated image on page 38). On the sidebar you will see Uses and Clients (use the Add and Remove



options to manage both). You can also use the Software option to run different operating systems. Raspberry Pi devices connected to the network will boot into the selected operating system, and users can log in using their name and details.

Tutorial

WALKTHROUGH

MIKE'S PI BAKERY



MIKE COOK

Veteran magazine author from the old days and writer of the Body Build series. Co-author of *Raspberry Pi for Dummies*, *Raspberry Pi Projects*, and *Raspberry Pi Projects for Dummies*. magpi.cc/259aT3X

RINGTHE CHANGES

You'll Need

 Raspberry Pi 3
 A display at least 1260 pixels wide


Ring in the New Year with your very own tower of bells

nce, when writing a Raspberry Pi book, your author used a section heading of 'Ringing the changes', to signify that the section was going to look at variations on what went before. He was astonished when his American editor had no idea what that term meant. In fact, the question 'what is the term for a bell ringer?', if asked on the popular TV quiz *QI*, would provoke the klaxon if you gave the answer 'campanologist', as that is what the study of bells is called. The correct answer would be 'bell ringer'.

Bell ringing has a lot more to do with mathematics than you might first think and, despite its ancient origin, it is an ideal topic to computerise.

Ways of ringing

While there are many different methods of ringing a set of bells, the two basic ones are change ringing and method ringing. In short, all the bells are rung in turn; this is known as a round. With change ringing, two of the bells in a round swap places for the next round. These bells must be adjacent in the current sequence, because of the very high mass of the bells which results in a limited ability to delay or advance the ringing position in a sequence. Method ringing is similar, but more than one pair of bells can change between any one round. In both systems they start and end with a round going from the highest bell, called the Treble, to the lowest, the Tenor. The bells



RING THE CHANGES

Tutorial


are numbered, starting with 1 for the Treble. Note that this is the reverse of many systems in music, where the lowest number is reserved for the lowest note.


Normally, there are anything between four and twelve bells, with eight being popular. If tuned, they are usually in the key of C. There are many hundreds of different methods, but the basic rule is that the round starts with the sequence 1 to the highest bell number and ends on that sequence as well, but no other sequence is permitted to repeat. Ideally, all possible sequences must be used; this is called an 'extent'. But, for twelve bells there will be 12! (12×11×10×9×8×7×6×5×4×3×2×1) combinations, and that would take over 35 years to ring. The record currently stands at 21 216 changes on the twelve bells of South Petherton Church, near Yeovil, which took 14 hours 26 minutes to complete.

It might come as a surprise, but the dedicated bell ringer is not interested so much in how it sounds, but in learning how to ring a specific pattern. In fact, a lot of the sequences are musically unremarkable and sound a bit like random ringing, even to the trained ear. The real appeal is in the physicality and discipline in getting it right. However, our curiosity got the better of us and we wanted to hear what it sounded like, so we wrote this simulator/player. It simulates change ringing, in that you can direct which bells to swap, but it will also play preprogrammed sequences where 'one man and his mouse' would be hard put to keep up any live determination of sequences. These sequences delight in names like Plain Bob Major, Bristol S Maximus, and Grandsire Cinques, to name but three.

Documenting a ring

These rings are documented by writing each successive sequence of bells, with lines connecting the bell numbers so you can see how they change. However, normally there is only one line for one bell to follow, and not all bells are numbered, as shown in Figure 1. This is understandable, because it is meant for one bell/player, and they just need to know if they have to keep their ringing position the same, or move up or down in the sequence. This shorthand, however, often makes it difficult for a beginner to follow. The full diagrams are normally shown as a vertical list; a full list, resembling braid, is shown in Figure 2. Alternatively, these lists of sequences can be shown horizontally, known as a roller, Figure 3 (overleaf), or even circularly as a ring, Figure 4. All these pictures were generated by the free-to-use toolkit to be found at magpi.cc/2jCpOlt and reproduced here by kind permission of the author Steve Scanlon.





resembles an intricate braid

Tutorial WALKTHROUGH


Figure 3 Sequences can be shown horizontally, known as a roller

Preparing the resources

The first thing we did was to prepare the graphics. We found a royalty-free image of a bell on the internet and rotated it through 90° in eleven stages. At each stage, we used a photo editing package to move the bell's clapper; the results are shown in

We want the bell to swing about the pivot point at the top, in order for it to look like a realistic swing

Figure 5. The thing to note here is that we want the bell to swing about the pivot point at the top, in order for it to look like a realistic swing. So we have to plot each bell, in the animation, at a different position in the x direction, so that the pivot point ends up in the same spot. These images were named **bo.png** to **b10.png** and put in a folder called **swing**. The



software would then scale this set of images so that each bell had its own sized animation sequence.

Then the sound of eight bells were put in a folder called **sounds** and named **o.wav** to **7.wav**. We started with bells recorded from a MIDI sound generator, but eventually replaced these with live recordings, done by a friend, of the bells in St Matthias Church, Leeds.

Finally, we prepared some method files based on classic methods. These are simple text files and consist of the sequence of each round, with a row of '-' signs being used as a comment or blank line to break things up and make it easer to see what is going on. The two methods we have encoded like this are 'Plain Bob Minor' and 'New Year Delight Minor' and can be found along with the software in the GitHub repository.

The software

The program, **bells_play.py**, uses the Pygame framework. Most of the parameters - like colour, speed, and the control variables - are defined at the start of the code, just before the **main** function. The **loadResources** function does the scaling of each animation sequence and, as this takes some time, when each bell has been processed it is displayed on the screen, to prevent having a long time where nothing seems to happen. It is important to the visual effect that the bell goes through an animated sequence and doesn't just flip from a bell on one side to a bell on the other, even though each image spends very little time on the screen. The handleMouse function sees if any of the 'swap icons' has been clicked and the **checkForEvent** function is where most of the other control takes place in response to keyboard presses. The drawSequence function displays the current order of the bells, and the **showRing** function points to the bell currently being rung.

Using the software

The software starts up in the stopped mode; pressing the **R** key will start it ringing, with the **S** key stopping the ringing at the end of the current round. It can use four to eight bells, selected by simply pressing the number keys on the keyboard. The **+** and **-** keys control the speed of the ringing and the **F** file key brings up a dialogue box to allow

Figure 5 An array of frames of the bells in motion

you to load in a specific ring. The **A** key will turn on and off the automatic swap mode; this is where the swap position is generated at random. When the bells are running, clicking on one of the Swap boxes between two bells will swap then at the end of that round. All the time, the map or documentation of the sequence history is displayed scrolling along the bottom of the window. We liked to turn on the automatic swap mode for a time, then turn it off and manually swap bells to get the sequence back to the start.

Taking it further

For a start, the bell sounds are all mono – it would be interesting to space these out in a stereo field. Also, we have not implemented the 'calling' of the bells; that is, calling out the two that need swapping in a round with change ringing. Calling is done in two ways: calling up and calling down. The latter is the simplest, a call of 'Six to Seven' will swap bell numbers six and seven; the only complication is that the highest and lowest bells are called 'Treble' and 'Tenor'. Such a list could be taken to any tower and called. Finally, we urge you to have a good look at the toolkit from Steve's website. If that piques your interest, why not see if there is a bell ringing group in your area and try the real thing?

RING THE CHANGES

Tutorial

Language

>PYTHON 3

DOWNLOAD: magpi.cc/1NqJjmV

PROJECT

Check out Mike's

Bakery videos at:

magpi.cc/1NqJnTz

VIDEOS

bells_play.py

- 001. import pygame, time, os, copy, random
- 002. from tkinter import filedialog
- 003. from tkinter import *

004.

013.

042. 043.

044.

045.

046.

054.

- 005. pygame.init() # initialise graphics
 interface
- 006. pygame.mixer.quit()

- 010. pygame.display.set_caption("Bells Ring the changes")
- 011. pygame.event.set_allowed(None)
- 012. pygame.event.set_allowed([pygame.KEYDOWN,pygame.QUIT,
 - pygame.MOUSEBUTTONDOWN])
- **014.** screenWidth = 1260 ; screenHight = 482
- 015. screen = pygame.display.set_mode([screenWidth,screenHight],0,32)
 016. textHeight=26 ; hangY = 30
- 017. font = pygame.font.Font(None, textHeight)
- **018.** swingSpeed = 0.01 # animation rate
- **019.** bellX = [60,180,320,460,620,790,973,1160]
- 020. backCol = (0,255,255) # background colour 021. trails = [(255,0,0),(255,255,0),(0,255,0),(0,0,255), 022. (0,0,0),(255,128,0), (255,255,255), (32,120,0)]
- 023. speed = 0.4 ; running = False ; automatic = False 024. random.seed() ; ringLength = 8 ; filePlay = False

```
025.
```

```
026. def main():
027. global lastSequence, swapFrom, running, bellSequence
028. drawLables()
029. resetSequence()
030. loadResources()
031. print("Ring in the new - press R to ring")
032. print("S to stop - F to play a file - C to ring the changes")
033. while True:
```

```
checkForEvent()
034.
            if filePlay :
035.
               if running:
036.
037.
                  drawControls()
                  lastSequence = fSeq[0]
038.
039.
                  i=-1
                  while i < int(len(fSeq))-1 and running:</pre>
040.
041.
                      i += 1
```

```
if int(len(fSeq[i])) > 0 :
    if int(fSeq[i] !=0):
        bellSequence = fSeq[i]
        playPeal()
```

drawSequence()

047. lastSequence = copy. deepcopy(bellSequence[:])

048. running = False

- 049. else: 050. if running: 051. playPeal()
- 052.lastSequence = copy.deepcopy(bellSequence[:])053.if swapFrom != -1: # if we need to swap

```
bellSequence[swapFrom],bellSequence[swapFrom+1]=b
```

```
ellSequence[swapFrom+1],bellSequence[swapFrom]
055. swapFrom = -1 # remove swap call
```

Tutorial WALKTHROUGH

```
drawControls()
056.
057.
                 drawSequence()
058.
059. def playPeal():
        global swapFrom, speed
060.
        for ring in range(0,ringLength):
061.
062.
           showRing(ring)
           swing(bellSequence[ring])
063.
           if ring ==2 and automatic and not(filePlay): #
064.
     random swap
              swapFrom = random.randint(0,ringLength-2)
065.
066.
              drawControls()
067.
              pygame.display.update()
068.
           checkForEvent()
069.
           time.sleep(speed)
070.
071. def setMode(mode):
        global filePlay
072.
        filePlay = mode
073.
        if filePlay:
074.
075.
           root = Tk()
           root.filename = filedialog.
076.
     askopenfilename(initialdir = "/home/pi",
077.
                title = "Select bell method",filetypes =
     (("txt files","*.txt"),
                 ("all files","*.*")))
078.
079.
           loadFile(root.filename)
080.
           root.withdraw()
081.
        else :
082.
           pygame.display.set_caption("Bells - Ring the
     changes")
083.
           resetSequence()
084.
085. def loadFile(fileName):
086.
        global fSeq, ringLength
        nameF = open(fileName,"r")
087.
        pygame.display.set_caption("Playing - "+fileName)
088.
089.
        sequenceFile = nameF.readlines()
        ringLength = int(len(sequenceFile[0]) / 2)
090.
091.
        fSeq = [] ; k=-1
092.
        for i in sequenceFile:
093.
           k +=1
094.
           ns = []
           for j in range(0,int(len(sequenceFile[k])),2):
095.
096.
              if i[j:j+1] != '-' and i[j:j+1] != '\n':
097.
                 n = int(i[j:j+1])-1 # to get bells 0 to 7
098.
                 ns.append(n)
           fSeq.append(ns)
099.
100.
        fSeq.append(ns) # extra line at end
101.
        nameF.close()
102.
103. def showRing(n): # indicate the current ring point
        pygame.draw.rect(screen,backC
104.
     ol,(524,248,185,16),0)
105.
        drawWords("^",530+n*24,248,(0,0,0),backCol)
106.
        pygame.display.update()
107.
108. def drawControls(): # draw swap radio buttons
109.
        pygame.draw.rect(screen,backCol,(0,160,screenWid
     th,20),0)
110.
        if filePlay:
111.
           return
112.
        for n in range(0,ringLength-1):
```

```
113.
           if n == swapFrom:
114.
               pygame.draw.rect(screen,(128,32,32),(bellX[
     n]+10,160,bellX[n+1]-bellX[n]-20,20),0)
115.
              drawWords("<-- Swap -->",bellX[n]+10
     +n*6,160,(0,0,0),(128,32,32))
116.
           else:
117.
              drawWords("<-- Swap -->",bellX[n]+10+n*6,16
     0,(0,0,0),backCol)
118.
               pygame.draw.rect(screen,(0,0,0),(bellX[n]+1
     0,160,bellX[n+1]-bellX[n]-20,20),1)
119.
120. def drawSequence(): # display bell sequence
121.
        screen.set_clip(0,260,screenWidth,screenHig
     ht-260)
122.
        screen.scroll(-30,0)
123.
        screen.set_clip(0,0,screenWidth,screenHight)
124.
        for n in range(0,ringLength):
           t = -1; j = 0
125.
           while t == -1:
126.
127.
               if bellSequence[j] == lastSequence[n]:
128.
                  t = j
129.
              j +=1
           pygame.draw.line(screen,trails[lastSequence[n]
130.
     ],(screenWidth-50,screenHight-16-n*24),(screenWidth-
     30, screenHight-16-t*24),4)
131.
        pygame.draw.rect(screen,backC
     ol,(530,227,179,20),0)
132.
        pygame.draw.rect(screen,backCol,(screenWidth-
     30, screenHight-200, 16, 191), 0)
133.
        for n in range(0,ringLength):
134.
           drawWords(str(bellSequence[n]+1),530+n*24,227,
      (0,0,0),backCol) # horizontally
135.
           drawWords(str(bellSequence[n]+1),screenWi
     dth-30,screenHight-(n+1)*24,(0,0,0),backCol) #
     verticallv
        pygame.display.update()
136.
137.
138. def drawLables():
139.
        global textHeight
140.
        textHeight = 26
141.
        pygame.draw.rect(screen,backCol,(0,0,screenWidth,
     screenHight),0)
142.
        for n in range(0,8):
143.
           drawWords(str(n+1),bellX[n]-
     4,0,(0,0,0),backCol)
144.
        textHeight = 36
145.
        drawWords("<---- Sequence
      --->",532,207,(0,0,0),backCol)
146.
147. def swing(bellNumber): # animated bell swing
148.
        global bellState
149.
        if bellState[bellNumber] :
150.
           for pos in range(1,11): # swing one direction
151.
               showBell(bellNumber,pos,pos-1)
152.
               time.sleep(swingSpeed)
153.
           bellState[bellNumber] = 0
154.
        else:
155.
           for pos in range(9,-1,-1): # swing the other
     direction
156.
               showBell(bellNumber,pos,pos+1)
157.
              time.sleep(swingSpeed)
158.
           bellState[bellNumber] = 1
159.
        samples[bellNumber].play() # make sound
```

RING THE CHANGES

Tutorial

```
160.
161. def showBell(bellNumber, seqNumber, lastBell): # show one
     frame of the bell
        cRect = bells[bellNumber][lastBell].get_rect()
162.
        cRect.move_ip((bellX[bellNumber]-
163.
     plotPoints[bellNumber][lastBell][0],
164.
                       hangY-plotPoints[bellNumber][lastBell]
     [1]))
        pygame.draw.rect(screen,backCol,cRect,0) # clear last
165.
     bell image
        screen.blit(bells[bellNumber]
166.
     [seqNumber], (bellX[bellNumber]
167.
              -plotPoints[bellNumber][seqNumber][0],
168.
               hangY-plotPoints[bellNumber][seqNumber][1]))
169.
        pygame.display.update()
170.
171. def drawWords(words,x,y,col,backCol) :
             textSurface = pygame.Surface((14,textHeight))
172.
             textRect = textSurface.get_rect()
173.
174.
             textRect.left = x
175.
             textRect.top = y
             textSurface = font.render(words, True, col,
176.
     backCol)
177.
             screen.blit(textSurface, textRect)
178.
179. def loadResources():
180.
        global bells, plotPoints, bellState, samples,
     swapIcon
        bellState = [1,1,1,1,1,1,1,1]
181.
182.
        scale = [12.0,11.0,10.15,9.42,8.8,8.25,7.76,7.33] #
     size of bell
        point = [(676, 63),(646, 73),(606, 73),(532,
183.
     75),(452, 71),
                 (380,67),(290, 71),(214, 61),(154, 57),(118,
184.
     77),(114, 75)]
        plotPoints = []
185.
186.
        bells = []
        for scaledBell in range(0,8):# get images of bells
187.
     and scale them
           plotPoint = []
188.
           bell = [ pygame.transform.smoothscale(pygame.
189.
     image.load(
             "swing/b"+str(b)+".png").convert_
190.
     alpha(),(int(792.0/scale[scaledBell]),
             int(792.0/scale[scaledBell]))) for b in
191.
     range(0,11)]
192.
           for p in range(0,11):
              p1 = int(point[p][0] / scale[scaledBell])
193.
              p2 = int(point[p][1] / scale[scaledBell])
194.
195.
              plotPoint.append((p1,p2))
196.
           bells.append(bell)
197.
           plotPoints.append(plotPoint)
198.
           showBell(scaledBell,0,0)
        samples = [pygame.mixer.Sound("sounds/"+str(pitch)+".
199.
     wav")
200.
                    for pitch in range(0,8)]
201.
202. def resetSequence():
203.
        global bellSequence, swapFrom,lastSequence
204.
        bellSequence = [0,1,2,3,4,5,6,7]
205.
        lastSequence = [0,1,2,3,4,5,6,7]
206.
        swapFrom = -1
207.
        pygame.draw.rect(screen,backCol,(0,227,screenWid
```

```
th,253),0)
208.
        drawControls()
209.
        drawSequence()
210.
211. def handleMouse(pos): # look at click for swap positions
212.
        global swapFrom
213.
        if filePlay :
214.
           return
215.
        update = False
216.
        if pos[1] > 160 and pos[1] < 180: # swap click</pre>
217.
           for b in range(0,ringLength-1):
218.
              if pos[0] > bellX[b]+10 and pos[0] <</pre>
     bellX[b+1]+10 :
219.
                 swapFrom = b
220.
                 update = True
221.
        if update :
222.
           drawControls()
223.
           pygame.display.update()
224.
225. def terminate(): # close down the program
226.
         pygame.mixer.quit()
227.
         pygame.quit() # close pygame
228.
         os._exit(1)
229.
230. def checkForEvent(): # see if we need to quit
231.
         global speed, running,ringLength, automatic
232.
         event = pygame.event.poll()
         if event.type == pygame.QUIT :
233.
234.
              terminate()
235.
         if event.type == pygame.KEYDOWN :
236.
            if event.key == pygame.K_ESCAPE :
237.
                terminate()
238.
            if event.key == pygame.K_RETURN and not filePlay:
     # reset sequence
239.
               resetSequence()
            if event.key > pygame.K_3 and event.key <</pre>
240.
     pygame.K_9 and not filePlay:
241.
                ringLength = event.key & 0x0f # number of
     bells
242.
               drawControls()
243.
               drawSequence()
244.
            if event.key == pygame.K_a : # automatic swap
245.
                automatic = not(automatic)
            if event.key == pygame.K_r : # run bell
246.
247.
                running = True
248.
            if event.key == pygame.K_s : # stop bells
249.
                running = False
250.
            if event.key == pygame.K_EQUALS : # reduce speed
251.
                speed -= 0.04
252.
                if speed < .08:
253.
                   speed = .08
254.
            if event.key == pygame.K_MINUS : # increase speed
255.
                speed += 0.04
256.
            if event.key == pygame.K_c : # ring changes
257.
                setMode(False)
258.
            if event.key == pygame.K_f : # play a file
259.
                setMode(True)
260.
         if event.type == pygame.MOUSEBUTTONDOWN :
261.
             handleMouse(pygame.mouse.get_pos())
262.
263. # Main program logic:
264. if _____ == '___main__
265.
         main()
```

Tutorial


WALKTHROUGH


Eight queens successfully placed on a chessboard so that they don't threaten each other; this is just one possible solution The same solution on a standard 2D chessboard diagram, which can be converted for the Sense HAT's display The green and red LEDs shown on the Sense HAT represent the board, and the white LEDs represent the queens. Other colours will also be used



GORDON HORSINGTON

Readers of a certain age, with good memories and an interest in the BBC Micro may remember Gordon as the author of most of the BBC Telesoftware programming tutorials broadcast on BBC 2 Ceefax during the second half of the 1980s. magpi.cc/2iZAb3b





SOLVE THE **EIGHT OUEENS** CHESS PROBLEM

Could you create a program to solve the eight queens puzzle for any size chessboard? If you can then you may be eligible to claim a one million dollar prize

You'll Need

Raspberry Pi Sense HAT magpi.cc/ 1TGGUt5

- Raspberry Pi Sense HAT emulator magpi.cc/ 2bscvQk
- The eight queens puzzle on Wikipedia magpi.cc/ ziYCLGI
- The eight queens million dollar prize magpi.cc/ 2BhNo1W

his is not a joke or a scam. There really is a prize of one million dollars waiting to be claimed by anyone who can solve the puzzle of placing n queens on an n×n chess-board so that no two queens threaten each other (where n is any number taken from the set of positive integers greater than three). If you decide to take on this challenge then your program will also have to show whether an incomplete solution to the puzzle is a subset of a complete solution. For example, you will need to demonstrate whether a set of six queens placed on and 8×8 board is a subset of a solution to placing eight queens on the same board.

If you're interested in the prize, then we'll show you how a Python program running on a Raspberry Pi with a Sense HAT can play eight queens as a game, solve the puzzle if you get stuck, and demonstrate whether an incomplete solution is a subset of a complete solution.

Our program uses the LED matrix on a Raspberry Pi Sense HAT to represent a chessboard. The program will allow you to place and replace up to eight queens on the board in the quest to find a solution. If you get stuck with an incomplete solution, then the program will solve the puzzle for you and show you where you might have needed to move any of your queens to find a complete solution.

Don't worry if you haven't got a Sense HAT on your Raspberry Pi: you can also run the program in the online Sense HAT emulator – just paste the code into it.

Can you solve the eight queens puzzle?

Eight queens is usually played on a chessboard using eight chess pawns as surrogate queens.

Placing queens on the board at random and expecting to find a solution is not a good way to play this game. There are nearly 4.5 billion ways in which it's possible to place eight queens on a chessboard (4426165368 to be precise), but only 92 of these possibilities satisfy the requirement that no two queens can threaten each other. Although all 92 solutions appear to be unique, there are in fact only twelve truly unique solutions to the puzzle. The other 80 apparently unique solutions are transformations (rotations and reflections) of the twelve truly unique solutions. Quite clearly, we're going to need a better strategy than just having a go.

When people play games like chess or draughts (checkers), they often use a combination of insight, cunning, and a game plan to defeat their opponent. One of the common strategies for these games is to control the middle of the board. This is quite a good way to play chess or draughts, but it's not the way to play eight queens. Eight queens is a game played by one person and there's no one to defeat. There has to be one queen, and only one queen, on every column and row of the board and for this reason the edges of the board can be just as important as the centre. We're going to need a different strategy – one that's better suited to playing eight queens.

SOLVE THE EIGHT QUEENS CHESS PROBLEM

003. import sys, time, os

eight_queens.py

001. # Eight Queens by Gordon Horsington

004. from sense_hat import SenseHat

002. # Python 3 and Raspberry Pi Sense HAT

a b

Figure 1 The knight's move is a useful strategy for placing queens on a board so that they don't threaten one another. The white queen in Figure 1a doesn't threaten any of the knights. Remove the black knights from Figure 1a and replace the white knights with queens and we have an incomplete solution with five of the eight queens on the board (Figure 1b)

Let's take look at chess and consider what happens when a knight threatens a queen. There are eight positions from which a knight can threaten a queen near the centre of the board (Figure 1a) and the queen cannot retaliate by removing any of the threatening knights. Don't worry about there being eight knights on the board - we're not playing chess, we're just thinking about chess moves. Placing queens on a chessboard using the knight's move to separate them can be quite a good strategy for playing eight queens. If you remove the black knights from Figure 1a and replace the four white knights with four queens, then no two queens are threatening each other (Figure 1b). We have five queens on the board and an attractive strategy. Unfortunately, as we'll see in a moment, the five queens seen in Figure 1b are not part of a complete solution.

It doesn't matter where you place your first queen, you can always use the knight's move to place a second one. As we'll soon see, this tactic doesn't always succeed in placing all eight queens and quite often you'll have to backtrack and move your queens around a bit before finding a solution, but it's quite a good strategy to keep in mind. Remember, even though the knight's move is useful, it's not always sufficient to complete the puzzle (**Figure 2**, overleaf).

How can the Raspberry Pi solve the eight queens puzzle using Python and a Sense HAT?

Using the knight's move strategy is one way in which a computer could tackle the puzzle, but it's not the easiest nor the best one to translate into program code because it won't find all the possible solutions. When you or I use this strategy, we tend to look at the board and the placement of the queens as a whole; we look at the empty squares as well as the queens and we use our insight into the puzzle to find a good position for our next queen. If we get stuck then we can shuffle our queens around, looking at the empty squares as well as the queens, and we can reposition the pieces taking our conceptual model of the problem into account. Insight like this is difficult to define and, without

January 2018 **MägPi** | 47

```
005. sense = SenseHat()
006. def main():
007.
                  = [92, 0, 0]
         r
008.
                  = [0, 92, 0]
         g
         yellow = [120, 120, 0]
009
010.
         blue
                  = [0, 0, 120]
                 = [120, 120, 120]
         white
011.
012.
         empty_board = [
013.
             g,r,g,r,g,r,g,r,
014.
             r,g,r,g,r,g,r,g,
015.
             g,r,g,r,g,r,g,r,
016.
             r,g,r,g,r,g,r,g,
017.
             g,r,g,r,g,r,g,r,
018.
             r,g,r,g,r,g,r,g,
019.
             g,r,g,r,g,r,g,r,
020.
             r,g,r,g,r,g,r,g]
021.
         results = [[0],[0],[0],[0],[0],[0],[0],[0],[0],
         for x in range(8):
022.
             for y in range(91):
023.
024.
                  results[x].append(0)
         find_all(results)
025.
026.
         game = [-1,-1,-1,-1,-1,-1,-1]
         x, y, playing, display, midgame = 3, 4, True, False, False
027
028.
         sense.set_pixels(empty_board)
029.
         sense.set_pixel(x, y, blue)
030.
         while playing:
031.
             for event in sense.stick.get_events():
                  if event.action == 'pressed':
032.
                      if event.direction == 'up':
033.
034.
                          y, midgame = increase(y)
035.
                      if event.direction == 'down':
036.
                          y, midgame = decrease(y)
037.
                      if event.direction == 'right':
038.
                          x, midgame = decrease(x)
039.
                      if event.direction == 'left':
040.
                          x, midgame = increase(x)
                      if event.direction == 'middle':
041.
042.
                          if display:
043.
                              playing = False
                          else:
044.
045.
                              if good_move(game, x, y):
046.
                                  midgame = True
047.
                              else:
048.
                                  best = find_best(game, results)
049.
                                  display = show_answer(game, sense, white,
     blue, yellow, results, best)
050.
                      if midgame:
051.
                          sense.set_pixels(empty_board)
                          sense.set_pixel(x, y, blue)
052.
053.
                          display, midgame = show_game(game, sense, white,
     blue)
054.
         sense.clear()
055.
```

sys.exit() 056. def show_answer(game, sense, white, blue, yellow, results, best): 057. for count in range(8): 058. if game[count] >= 0: 059. sense.set_pixel(count, game[count], blue) for count in range(8): 060. if results[count][best] == game[count]: 061. 062. shade = white 063. else: 064 shade = yellow 065. sense.set_pixel(count, results[count][best], shade)

Tutorial

Language

>PYTHON 3

DOWNLOAD:

magpi.cc/2krfFZq

Tutorial

WALKTHROUGH

```
066.
              game[count] = -1
067.
         return True
068. def show_game(game, sense, white, blue):
069.
         count = 0
070.
          for column in range(8):
              if game[column] != -1:
071.
072.
                  sense.set_pixel(column, game[column], white)
073
                  count += 1
074.
          if count == 8:
075.
              for count in range(3):
076.
                  time.sleep(0.25)
077.
                  for column in range(8):
078.
                      sense.set_pixel(column, game[column], blue)
079.
                  time.sleep(0.25)
080.
                  for column in range(8):
081.
                      sense.set_pixel(column, game[column], white)
082
              for column in range(8):
083.
                  game[column] = -1
084.
              return True, False
085.
         return False, False
086. def good_move(game, x, y):
087.
         if game[x] == y:
088.
              return False
089.
          game[x] = y
         plus, minus = x + y, x - y
090.
091.
          for column in range(8):
092.
              if column != x:
093.
                  row = game[column]
094.
                  if row == y or column + row == plus or column - row
      == minus:
                      game[column] = -1
095.
096.
         return True
097. def find_best(game, results):
098.
         better = 0
099.
         best = 0
100.
         for count in range(92):
101.
              good = 0
102.
              for column in range(8):
103.
                  if results[column][count] == game[column]:
104.
                      good +=1
105.
              if good > better:
106.
                  better = good
107.
                  best = count
108.
          return best
109. def find_all(results):
          answer = [0,0,0,0,0,0,0,0]
110.
         number, row, count, flag= 0, 0, 8, True
111.
112.
         while number < 92:</pre>
             if flag:
113.
114.
                 row += 1
115.
              flag = True
             last = row - 1
116.
117.
              answer[last] += 1
118.
              if row == 1:
119.
                  answer[last] = count
120
                  count -= 1
121.
              if not answer[last]:
122.
                  break
123.
              if answer[last] > 8:
124.
                  answer[last] = 0
125.
                  row -= 1
126.
                  flag = False
              if flag and row != 1:
127.
128.
                  flag = test(last, row, answer)
129
              if flag and row == 8:
                  flag = False
130.
                  for column in range(8):
131.
                      results[column][number] = answer[column] - 1
132.
133.
                  number += 1
134.
          return
```




Figure 2 The knight's move can prove useful, but it's not always sufficient to place all eight queens on the board

a clear definition, it's quite challenging to model it in program code. Perhaps using a neural network might be one approach to solving this problem and maybe, one day, this puzzle could be a suitable task for a quantum computer, but for today we'll look at how a straightforward Python program running on a Raspberry Pi can play eight queens and show us where we're going wrong if we get stuck.

Let's take another look at the eight queens in Figure 2. Only eight of the 64 squares are occupied by queens and most of the board is empty. There's just one queen in every column and one queen in every row. Every solution to the eight queens puzzle has only one queen in every column and row and so we can represent the 2D chessboard in Figure 2 much more efficiently as a one-dimensional list with eight elements, rather than use a 2D list in which 56 of the 64 elements are empty. We can use the index to our eight-element list to represent the columns of the chessboard, and a number stored in each element to represent the row in which the queen is placed. The 2D LED matrix on the Sense HAT has its origin in the top left-hand corner and so the solution in Figure 2 could be represented in a one-dimensional list as [7,1,3,0,6,4,2,5]. This reduction of a 2D chessboard to a one-dimensional list is the approach we have taken in our program. Note that board columns and rows are numbered from 0 to 7, not 1 to 8. So the zeroth element in the list stores the number 7 (the queen at the bottom left), and the first element the number 1.

Finding all the possible solutions is now quite simple. All we have to do is make sure that every element of our one-dimensional list has a unique number in the range from 0 to 7 and this will ensure that the queens they represent do not threaten each other either vertically or horizontally. The queens can threaten each other diagonally and so we need to make sure that every number stored in the list does

SOLVE THE EIGHT QUEENS CHESS PROBLEM

Tutorial

not present a diagonal threat to any other number stored in the list. This again is quite easy to check. Let's consider the list above which has the number 3 stored in the second element. This means that neither the first nor the third element can be 2 or 4 as this would represent a diagonal challenge to the second element. Similarly neither the zeroth nor the fourth element can be either 1 or 5, and so on for every element in the list. In this way the program eliminates a diagonal challenge to the queens. This reduces the number of possible solutions from 4.5 billion to a much more manageable 92, and the Python program can find all of them very quickly. The program can also determine whether an incomplete solution on which a player gets stuck is part of a complete solution by comparing a player's incomplete solution to all 92 possible solutions. If an incomplete solution is not a subset of a complete solution, then the program finds the closest solution to the incomplete solution and shows the player where they were going wrong.

Let's play eight queens on the Raspberry Pi

The program runs on a Sense HAT or on an online Sense HAT emulator. All user interaction with the program is done using the Sense HAT mini joystick on a real Sense HAT, or the arrow keys and **RETURN** key on an emulator. In the rest of this description we'll assume that a real Sense HAT is being used, but illustrate the puzzle with pictures from an emulator.

When the program starts, you will see a representation of a chessboard with a blue cursor (**Figure 3a**). You can move the cursor onto any empty square with the joystick and then press the joystick button to place a white queen over the cursor (**Figure 3b**). Placing queens like this is the first of three roles for the joystick button. After placing a queen, the cursor can be moved to another empty




Figure 3 The blue cursor (Figure 3a) is used to find a place for a queen on the board. Move the cursor with the joystick and press the joystick button to place a queen over the cursor (Figure 3b). This cursor will now be hidden by the queen, but it will reappear when it's moved again by the joystick. It can then be moved around the empty squares (Figure 3c). The game is complete when there are eight queens on the board (Figure 3d)





square and another queen can be placed over the cursor (**Figure 3c**). The program assumes that the latest move is the one you really want to make and if any queens are under threat from the latest move then the threatened queens will be removed from the board. This continues until there are eight queens on the board (**Figure 3d**).

Let's suppose you get stuck and you want the computer to solve the puzzle for you. Move the cursor under any one of the queens already on the board and press the joystick button (Figure 4a). Asking for a solution in this way is the second use of the joystick button. The program will display the closest complete solution to your incomplete solution (Figure 4b). The white queens in Figure 4b represent the queens in your incomplete solution that were in the right place, the blue queens represent where your queens were in the wrong place, and the yellow queens are the ones you needed to place to complete the puzzle. If your incomplete solution is a subset of a complete solution, then there will be no blue queens on the board. If you move the cursor onto an empty square, then you can start another game.

The third and last use of the central joystick button is to exit the program. Whenever there are eight queens on the board, you can move the cursor under a queen and press the joystick button to exit the program. This is much neater than using **CTRL+C** on the keyboard and it keeps all the interaction with the game on the Sense HAT joystick.

Figure 4 The

incomplete puzzle in Figure 4a can be solved by moving the cursor under one of the queens and pressing the joystick button. The white queens in Figure 4b were placed correctly, the blue queens were in the wrong place, and the yellow queens are the ones you needed to place in order to complete the puzzle

Tutorial WALKTHROUGH



LAURA SACHS

Laura creates and maintains Raspberry Pi educational resources. Aside from computers, she loves cats, cakes, board games, and making jam. **raspberrypi.org**

JAZZY JUMPERS MEMORY GAME

You'll Need

Scratch 2.0

 Offline assets (optional)
 magpi.cc/
 2ATrxyb Create a memory game in Scratch where you need to remember the patterns of some Christmas jumpers

emory games are quite fun and, as it turns out, simple to make in Scratch. In this game you need to memorise the jazzy jumper, then click on each part of the jumper template you're shown to change the colours and recreate the jumper you've memorised. When you think you've got it, press the button to see if you were right or not.

Parts of the jumper

Open the starter project online (**magpi.cc/2ihuixR**) or use the offline starter project (**magpi.cc/2ATrxyb**).

If you are using Scratch online and you have a Scratch account, click on Remix in the top right-hand corner to save a copy of the project to your account.

Take a look at the sprites in the project. You have five sprites in total: one for each of the four parts which make up the jumper, and one for the button. (See **Figures 01** and **02**.)





Click on the Jumper sprite and then on the Costumes tab. You will see three coloured costumes and a white 'none' costume (see **Figure 03**)

If you like, you can use the Fill tool to change the colours of the costumes. Change the names of the costumes too, so that they match the new colours. However, make sure to leave the 'none' costume at the bottom, and make sure it remains completely white. This costume is shown when the player is trying to remember the jumper.

JAZZY JUMPERS MEMORY GAME

Tutorial



If you want to, you can change the colours or pictures of all four sprites which make up the jumper: Jumper, Stripes, Trim, and Picture.

New jumper

In this project there are a lot of sprites, and a good way of telling lots of sprites what to do is to send a broadcast.

Let's create a broadcast which tells the various sprites forming the jumper to each choose a random costume, so that they form a new jumper.

Click on the Stage and make sure you are on the Scripts tab. The Stage is going to send a broadcast

called **new jumper** to all of the other sprites. Think of this like a person with a megaphone giving instructions to lots of people at once. Add the code blocks from **Figure 04** to the Stage scripts area.

Now we need to let the sprites know what to do during this broadcast. Click on the Jumper sprite in the Sprites panel. Add the block in **Figure 05** to the scripts for the Jumper sprite.

You can tell the Jumper sprite exactly what to do when it hears the broadcast by attaching the blocks you want to happen below this block.

When the Jumper sprite hears the broadcast, it should randomly pick one of the coloured costumes – but not the white one.

Attach some code to your **when I receive** block to tell the Jumper sprite to pick a random costume out of the first three only (**Figure 06**).

Click the green flag. Does the Jumper sprite colour change? Click the green flag a few more times to check.

The colour might not change every single time you click the green flag, because sometimes the randomly chosen costume will be the same as the previous one. Now add some code to the Stripes, Picture, and Trim sprites so that, when they hear the broadcast **new jumper**, they also choose a random costume. (Hint: just use the same code as the Jumper sprite.)



switch costume to pick random 1 to 3	06
when I receive new jumper -	07
wait 3 secs	
broadcast hide jumper	

Hide the jumper

The aim of the game is for the player to memorise the jumper, so you need to make it disappear after a few seconds.

Go back to the Stage and add some code so that, when the Stage receives the **new jumper** broadcast, it waits for three seconds and then broadcasts a new **hide jumper** message (**Figure 07**)

Switch to the Jumper sprite. Add some code so that, when this sprite hears the **hide jumper** broadcast, it switches to the blank 'none' costume (**Figure 08**).

Add similar code to the other sprites making up the jumper. Click the green flag and test your code. Does the Jumper switch to all white with a question mark picture, three seconds after the green flag is clicked?

What was on the jumper?

So far, the program creates a random jumper for the player to remember, and then hides it. However, we've made a mistake! We didn't note down anywhere which costumes were randomly chosen, so how will we know if the player has recreated the jumper correctly?

To save information you will need to use later on, you can create variables. Click on the Jumper sprite, then the Data block type, and create a variable called **jumper**.

You're going to save the random costume that was chosen for the Jumper sprite inside this variable, so the program remembers it for later.

Place a set jumper block between the when I receive new jumper and switch costume blocks. We need to set the jumper variable to pick random 1 to 3, so just drag that green block up to set jumper from the switch costume block below. Finally, alter the switch costume block to set it to the value of the jumper variable, which now holds a random number between 1 and 3 (Figure 09, overleaf).



Tutorial | walkthrough

	09 jumper	3 10		1
when I receive new jumper -	1.1	normal readout		
set jumper 🔻 to pick random 1 to 3		large readout	when this sprite clicked	
switch costume to jumper		slider	next costume	
	•	hide		

New costur 12

Click the green flag and check that your Jumper sprite still chooses a random colour each time.

Create three more variables, one named after each other sprite making up the jumper. Add some code to the other three sprites so that their costume number is saved in the variable named after it. Your code will be slightly different for each sprite, because each sprite will have its own variable.

Make sure that you hide the variables from the stage by right-clicking them and selecting **hide** (Figure 10), otherwise the game will be too easy for your player!

Recreate the jumper

The player needs to be able to recreate the jumper they saw by clicking on the different parts until they match the original one.

Switch to the Jumper sprite and add some code so that, when the sprite is clicked on, it will display the next available costume (**Figure 11**).


Add the same code to the other three sprites making up the Christmas jumper.

Test your code by waiting for the blank jumper to display, and then clicking on the different parts. Do they change colour each time you click?

HINT: if you accidentally drag the Jumper sprite, it'll come to the front and obscure the other sprites – to prevent this, you can add a **go back 3** layers block under its **next costume** block.

The right jumper

When the player thinks they have recreated the jumper correctly, they should click on the button to be told whether they were right or wrong.



Click on the Button sprite and take a look at its costumes (**Figure 12**).

The 'right' and 'wrong' costumes will be used to display whether the player's jumper was the same as the one that was displayed at the start.

Add some code to the Button sprite so that, when it is clicked, it broadcasts a new message called **check** (see **Figure 13**).

When the other sprites hear the message **check**, they should each check whether the current costume number is the same as the costume number saved in the variable named after them. If the costume numbers do not match, the sprites should broadcast the message **wrong**.

Switch to the Jumper sprite and add some code to check whether the player selected the correct colour. If they were wrong, broadcast **wrong** (Figure 14).

Note that you will need two green Operators blocks: one for **not**, and another one inside it for **=**.

Add similar code to the other three sprites making up the jumper, but be careful to check the current costume number against the correct variable for that sprite. Now switch back to the Button sprite.

We will assume the player is right unless we receive a broadcast saying they were wrong. Add a block after you broadcast **check** to switch to the 'right' costume (see **Figure 15**).

Also add blocks to switch to the 'wrong' costume if the **wrong** broadcast is received (**Figure 16**).

If any of the sprites making up the jumper broadcasts that its costume was wrong, the player will see the \mathbf{X} . If not, they will see the \mathbf{V} .

Note that if you click the green flag again to restart, the Button sprite will stay as an **X** or \checkmark , so you may want to add some code to switch its costume to 'button' when the green flag is clicked.





ONLY £3.99 from store.rpipress.cc











Tutorial



BRIAN BEUKEN

Very old game programmer now teaching very young game programmers a lot of bad habits at Breda University of Applied Science in the Netherlands. scratchpadgames.net

CODING GAMES J THE RASPBERRY **C**/**C**---- PART 01

You'll Need Code::Blocks Some

imagination A bit of patience Let's dive into a subject that many people think is actually much harder than it is: game programming on the Raspberry Pi!

espite its awesome success as a hobby Π system, the Raspberry Pi is seldom looked on as a machine that lets you write or play your own graphical games. There are emulators, of course, and those are a great introduction to the style of retro games most old-school coders cut their teeth on as spotty youths. However, you don't see many original games written for the Pi, on the Pi, by Pi coders. Let's try to change that.

Game coding, on Raspberry Pi, in a professional language like C/C++ isn't apparently very popular, but why? The Pi is more than capable of doing cool graphics, has (nearly) all the tools needed on board, and just enough horsepower to easily create and run high-octane 2D games. It can even push a decent amount of polys around to create some quite exciting 3D experiences.

There's simply no reason not to write cool games on the Pi, so it's time we addressed this and introduce some new Pi coders to C++ and game coding, as well as a little dabble with the Broadcom GPU.

Over the next few issues, we'll outline a 2D game framework which you can explore and enhance to produce a range of 2D games.

nu 🚯 🗄 💻 🔅 🔇 💻 pi@raspberrypi:~ 🛛 💾 Start here - Code:Blo... 🚯 🛃 🌒 💿 11:44 Project Build Debug Tools Plugins Settings Help 8 6 | **4 4** | 0 > 5 0 0 Start here X Projects Symbols Worksnace Code::Blocks Release 13.12 rev 9501 (2013-12-25 18:25:45) gcc 4.8.2 Linux/unicode - 32 bit 📷 Create a new project 🔷 Open an existing project 🕥 Tip of the Day Visit the Code::Blocks forums Report a bug. Request a new feature Recent projects /home/pi/Desktop/teset/test/test.cbp Recent files No recent files © 2004 - 2013, The Code::Blocks Team ↑ Code:Blocks # 🔍 Search results # 🔊 Debugger # 🔊 Build log # 🕈 Build messages

The Code::Blocks IDE lets you

Figure 1

CODING GAMES ON THE RASPBERRY PI IN C/C++

Let's start with the first thing all new coders need to know, which is: DON'T PANIC! C/C++ isn't as hard as people tend to think it is, especially if we stick to core principles and concepts. It can get very complex very fast, but you can take your time and make progress at your own rate and still create cool things.

But before we can use the language, we really need to have a development system known as an integrated development environment, or IDE for short; this contains all our code and lets us edit, build, and debug our code in one program. Of course, you can use multiple files and commandline systems, but IDEs are designed to make things easier, so let's just use them.

For this set of tutorials we're going to use Code::Blocks, which you can find using **sudo apt-get codeblocks** in your Terminal window.

Code::Blocks gives us access to a much more C++ friendly editor, compiler and debugger, and lets us run our code directly from the edit screen. Once installed, it appears in Programming tools (**Figure 1**).

First steps

Coders always start learning with the Hello World example, so we should do the same just to get used to our system.

Setting up a new project as a C++ Console App will produce a very simple single-file project. You can find the **main.cpp** file in the Sources filter on the left of your IDE screen; open up Sources and doubleclick on **main.cpp** to have a look at the file – it's only ten lines long.

Main.cpp should be fairly understandable to a novice. There is a function, called **main**, and between its { and } brackets are two lines of code, one of

which outputs some text; the other tells the function to return to where it was called, in this case from the command line, ending the program. The **using namespace** will be explained later, but it's a way for C++ to understand that the **cout** function, used to print text, lives in its 'internal' standard libraries.

To make the program run we have two options: the green RUN arrow, or the Red Debug Arrow at the top of the Code::Blocks window. Press one; whichever you choose, you will find our project unsurprisingly prints 'Hello World' in what is called a console window, the black screen which pops up when our project starts. The console is very useful since it can allow us to output text to it and let us know what our project is doing at different points.

Alter the "Hello World" text in the main.cpp, so long as the text is enclosed in " " marks, you can pretty much enter anything you like, you can even repeat the line a few times to add a few more choice text quips. Go on, make it swear at someone, you know you want to.

The first thing all new coders need to know: DON'T PANIC! C/C++ isn't too hard

Now that we have our project running, let's see what Code::Blocks lets us do. Try left-clicking just after the number 7 on line 7 – a small red dot should appear (**Figure 2**); you can also right-click to get more choices. This red dot represents a break point: when our code is being debugged, it will stop. Run the project again, but using the red DEBUG arrow, which will force our project to compile and run in

🍇 Menu 🚯 🔡 💻	🜞 🔇 💻 pi@raspberypi: ~ 🛛 💾 main.cpp [HelloWorld.]	🚯 🚅 🌒 💿 12:03 🛆
👫 main.cpp (HelloWorld) - G		
File Edit View Search P	roject Build Debug Tools Plugins Settings Help	
B 🔒 🖻 🞒 % %	x h h 4 4 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>		
Management 🛞	main.cpp X	
Projects Symbols	1 #include -diostream-	
🗉 😡 Workspace	2 using namespace std;	
😑 🏪 HelloWorld	4 int main()	
E Sources	<pre>5 if t main() 7 7 7 6 6 6 6 6 6 6 6 6 6 6 6 6</pre>	
CONTROL OF A	5) 10	
	Logs & others	8
	📝 Code:Blocks 🕱 💊 Search results 🛪 🔍 Debugger 🕱 🔍 Build log 🛪 🦿 Build messages 🛪	
	File Line Message	
/home/pi/Desktop/teset/Hell		Read/Write default

Tutorial

Language

>C++

NAME: main.cpp, SimpleObj.h/cpp, Game.h/cpp


DOWNLOAD: magpi.cc/2jyodog

Setting a breakpoint stops the project at that point

WALKTHROUGH

Figure 3 Our Game class creates two SimpleObjs which get updated

Tutorial



debug mode. It will stop at the red dot, waiting for us to tell it to either continue or to step through the code using the icons next to the red arrow, which provide different step options for the code. More on that later, though. Code::Blocks gives a wide range of tools and functions to help us debug, but if this is your first time running it, not all of them will be visible – we will make them visible as our needs and experience increase.

Time for bigger steps

So, 'Hello World' is hardly the pinnacle of coding, but you've compiled and run your first project; it's text only, but it's our text and we love it. We might not be doing much, but we do know our tools work. Time to take things up a notch.

C/C++ works by using code it already has, known as the standard libraries, and code that you write to make use of those libraries. There are other libraries we can use or even create ourselves, but one important thing to consider is that the **main()** function is the starting point of any C/C++ project.

One important thing to consider is that the main() function is the starting point of any C/C++ project *"*

We could add hundreds of lines of code to our **main()** function to make it do something, but that's not really how C++ works. In fact, that's more how C works, because this **main** function is in fact a small bit of C code, which brings us to why we persist in saying C/C++.

C++ is an enhancement to C, but inside C++ there are still all the original C commands and concepts which we are free to use if we want to; it's just that as C++ has become more and more stable and effective, we seldom rely on pure C any more, except to start up our project.

C++ can mimic C all day long, but it would deny us the chance to make use of C++'s greatest trick: OOP, or object-oriented programming.

What is OOP?

OOP can be tricky to grasp straight away, but it's best to think of it as a means to define a 'thing' that does 'something', at the request of other 'things'.

We usually call these things *objects*, and we define them in concepts called *classes*. A class is C++'s way of describing something as a collection of functions and data which are usually personal to any individual instance of that class. Objects can be literally anything, and such a broad idea is where people tend to get stuck.

We can create things, or classes, using a simple header file to define that class. We should start with a base class called **Game**, which is going to be our controlling class. We can let the **main()** function do a little setting up, but the sooner we leave it behind the better.

Our **Game** class will be responsible for controlling all the other objects in our project, some of which will themselves have objects to control. But **Game** is the big cheese and its job is going to be to create and initialise the objects, control the calling of updates of those objects, and then to output or return the results of their efforts somewhere. Finally, when our project has run its course, it needs to return back to the **main** function, to let the program shut down.

CODING GAMES ON THE RASPBERRY PI IN C/C++




Figure 4

And our two different objects now output some simple text

Tutorial

That's a lot to take in, so let's just try a simple bit of code to see how that works.

Starting with C++

Almost all classes have a header file that's unique to the class; check out **Game.h**, in our GitHub repo.

We've defined the **Game** class as having three methods, two of which are standard, and one is something we will use to update all the systems it has.

If we now look at how our new **main** function sets up a **Game** class, seen in **main.cpp**, just replace all the old code that was in Hello World.

Main() now has an instance of a Game class; we use a special function called a constructor to set up some default variables, or not, as needed. Once main() creates a Game class, we then effectively pass the program control to Game and its Update() method – we'll only return to main() when we are done and want to exit back to the OS. Of course, at the moment, the actual code for Game has not been written; let's discuss that next.

Now that our **main** function has passed control of our program to **Game**, it's up to **Game** to give us some 'things' to play with. Let's create some simple objects, called **SimpleObj**. Like the **Game** class, we define these in a header file, preferably using the same name as the class we define, **Game.h**.

Ready to run

These are just definitions at the moment; the header contains info on what the class is and what it contains. This **SimpleObj** has very little code; it has the constructor/destructor methods, which we'll discuss next time. More useful is the fact it also has a method called **Update()** and a function called **Draw()**, which currently does nothing; we'll add that soon. It has some variables, notably a string called **m_MyName**, but that's empty when it is first created.

Now that we have the definition of a **SimpleObj** class, we need to write the actual code, this time not in a header but in a CPP file. So, create a file called **SimpleObj.cpp** and then the **Game.cpp** file (**Figure 3**) and enter the code from the file in our GitHub repo – you could download this code, but it's better if you type it in and get used to making and fixing typos.

So far so good

We have code for **Game** and **SimpleObj**, so we should be able to compile this on our IDE. When next we run the code, **Game** has two new instances of **SimpleObj** - they're rather boring and dull, but they are there, and we include calls to their **update()** functions in the **Game** class's main loop. They will be processed and print out little individual messages using their names to let you know they are there (**Figure 4**).

So, two unique instances of **SimpleObj** are being updated by **Game.Update()**, both defined by the same class definition, but unique instances with their own names. Try adding a third and see what happens.

For now, that's as much as we can squeeze into this format, but next time we will expand our code to start working with graphics and the famous 'hello triangle' code that absolutely no one uses except game coders.

LEARN TO CODE WITH C

Enjoying using C and C++ and can't wait until next month for more? Check out our Essentials book, *Learn to Code with C*, for more C tutorials for beginners: **magpi.cc/learn-c-book**



FREQUENTLY ASKED QUESTIONS



Email **magpi@raspberrypi.org** or find us on **raspberrypi.org/forums** to feature in a future issue.

Your technical hardware and software problems solved...

PORTABLE PIPOWER

WHAT PORTABLE POWER OPTIONS ARE AVAILABLE?

Mobile battery

One of the easiest ways to portably power a Raspberry Pi is to use a standard mobile phone battery charger. The Raspberry Pi isn't all that power hungry, so it should last a while on even a lower-capacity battery, but make sure it's capable of providing at least 2A of power

Battery pack

Normal AA batteries and the like can't just be plugged into a Raspberry Pi. With the right HAT or adapter cable, however, you can use them to power a Pi. The adapters and HATs make sure the power output is consistent, as normal batteries have a habit of not working well on a low charge.

Lithium batteries

Adafruit does an excellent range of power adapter (and charger) boards that allow you to power a Raspberry Pi with a lithium-ion battery (**magpi.cc/2AddAex**). While a little more tricky to set up than a mobile charger or battery pack, the combo is small and can easily slip into your Pi project.

WHAT POWER CONSIDERATIONS ARE THERE?

Amps

One of the most important things to think about when deciding on portable power options is making sure your solution can supply enough power to the Raspberry Pi. 2.5 A is recommended for making full use of a Raspberry Pi 3. If you're not using the desktop or any extra add-ons, however, you can get away with a slightly lower 2A supply.

Charge

Battery charge is measured in mAh (milliampere hours). High-capacity mobile phone battery chargers tend to come as high as 20 000 mAh. These can charge your phones from empty about four to five times over, depending on your device, and will provide power to a Raspberry Pi for a very long time – we've heard reports of days. You will need to experiment to figure out how much you'll need, though.

Size

Not all projects are built the same, so the size of your power supply is an important factor. Smaller solutions will also naturally have less charge, meaning you'll have to swap them or charge them more regularly.

WHAT PI POWER PORTS CAN I USE?

Micro USB

The most common way to power the Raspberry Pi is via the standard micro USB power port. All three of the main solutions we've highlighted will have ways of connecting via USB to power the Pi, although it does mean one extra cable in your setup.

GPIO

A more compact way of powering the Pi is via the GPIO pins. Some HAT mobile power solutions power the Pi via the GPIO, like the PiJuice HAT (**magpi.cc/2B3WPIP**). You need to be very careful with the power going to the GPIO pins, though – it needs to be consistent or you risk burning out the GPIO or even the Pi!

USB pads

A bit riskier, but you can always solder the individual wires of a USB cable to the connectors on the board. This allows you to save some space from the relatively bulky micro USB adapter. You need to be fairly confident with your soldering skills, though, or the wires may break loose at an inopportune moment. YOUR QUESTIONS ANSWERED

FROM THE RASPBERRY PI FAQ **RASPBERRYPI.ORG/HELP**

WHAT IS THE CAMERA MODULE?

The Camera Module is a small PCB that connects to the CSI-2 camera port on the Raspberry Pi using a short ribbon cable. It provides connectivity for a camera capable of capturing still images or video recordings. The camera connects to the Image System Pipeline (ISP) in the Raspberry Pi's SoC, where the incoming camera data is processed and eventually converted to an image or video on the SD card (or other storage). You can read more about the Camera Module at **magpi.cc/28IjIsz**.

WHAT IMAGE SENSOR DOES THE CAMERA MODULE USE?

The Camera Module V2 uses a Sony IMX219, while the original Camera Module has an

Omnivision OV5647. They are comparable to cameras used in mobile phones.

WHAT RESOLUTIONS ARE SUPPORTED?

The Camera Module V2 is capable of taking photos up to 8 megapixels (8MP). It supports 1080p30, 720p60, and VGA90 video modes, as well as still capture. The original Camera Module is capable of taking photos up to 5 megapixels and can record video at resolutions up to 1080p30.

WHICH PICTURE FORMATS ARE SUPPORTED?

The Raspberry Pi Camera Module supports raw capturing (Bayer data direct from the sensor) or encoding as JPEG, PNG, GIF and BMP, uncompressed YUV, and uncompressed RGB photos. It can record video as H.264, baseline, main, and high-profile formats.

F.A.Q.

HOW DO I USE THE CAMERA?

There a number of command-line applications provided for stills and video output. These applications provide the typical features you might find on a compact camera, such as setting the image size, compression quality, exposure mode, and ISO. See the documentation for more details: magpi.cc/2egdAQA.

CAN I EXTEND THE RIBBON CABLE?

Yes. We have reports of people using cables up to 4 metres in length and still receiving acceptable images, although your experience may differ.

50 Components

INTRODUCING THE HOTTEST NEW PRODUCTS FOR YOUR PI

THE NEW **PiTraffic**

Take your first steps into interfacing with the real world. **PiTraffic** provides the building blocks to explore ideas and take learning further. Just pop it on your Pi and start to learn coding.

FEATURES

- Compatible with Raspberry Pi 3, 2, B+, A+, Zero, and Zero W
- Fully assembled
- Easy Programming
- 40-pin female header included to boost height for Pi B+, 2, 3

PiCube

PiCube is a 4x4x4 LED Cube perfect for both beginners and professionals to strengthen their logic by typing complex code to draw out different patterns among its various uses.

FEATURES

- Each Layer as well as each LED can be individually accessed and controlled as per requirements
- 64 high intensity monochromatic LED's
- 40-pin stacking header for accessing GPIO of RPi
- Available in three vibrant colours RED, GREEN, BLUE
- Comes un assembled and fully assembled





www.shop.sb-components.co.uk Call: 0203 514 0914

At **SB Components** we strive to offer our customers the best prices for the best products. Our product team works tirelessly to source top quality affordable components from around the world. Raspberry Pi is a trademark of the Raspberry Pi Foundation. Raspberry Pi not included.



BUILD A COMPUTER

FOLLOW MISSIONS

LEARN PROGRAMMING

PIPER COMPUTER KIT

Educational Computer that teaches STEM and Coding

Kids build their first real computer then advance through Piper's award-winning story-based curriculum and learn physical engineering and electronics in the process.

Special \$10 MagPi coupon: MagPiSummer only at BuildPiper.com



A STEM SOLUTION FOR SCHOOLS Teachers all over the world use Piper to inspire kids to program, design, and engineer

Want to learn how to bring Piper to your school? **buildpiper.com/EDU**

THE PIPER EXPERIENCE



BUILD FROM SCRATCH

SOFTWARE-BASED CURRICULUM

CREATE YOUR ELECTRONICS



Supported by Top University Funds Stanford-StartX Fund AEF of Princeton University

Available at:















Add vision intelligence to your Raspberry Pi projects with Google's new VisionBonnet



ast month, we broke the news of Google's all-new Vision Kit. This new AIY kit enables you to build an intelligent camera using a Pi Zero W and Camera Module.

Of course, this being AIY, you can also use the hardware to add artificial intelligence to your own projects.

The kit's powerful VisionBonnet coupled with a Pi Camera doesn't just capture images of objects, it also identifies them.

The Vision Kit is powered using TensorFlow's (**tensorflow.org**) machine learning models and can be trained to detect all kinds of things: cats, dogs, humans, household objects, even emotions such as smiling or frowning.

We want to liftsome of the magicaway from AI

This month, we're taking a closer look at the AIY Projects: Vision Kit hardware, software, and the possibilities it offers for integrating artificial intelligence with your projects.

We're also going to look at the underlying techniques being used in artificial intelligence: artificial neurons and neural networks. We want to lift some of the magic away from AI and help you turn it into a tool for your project-making toolbox (albeit an incredibly cutting-edge tool).

As with all AIY Projects, what's really interesting is how you can integrate Google's artificial intelligence into your projects.

So be sure to get some inspiration for your projects, and share with us what you plan to make with Vision Kit.

HELPFUL TERMS

ARTIFICIAL INTELLIGENCE

Intelligence displayed by machines, in contrast with biological intelligence – the 'Y' in AIY stands for 'Yourself'.

ARTIFICIAL NEURON (AKA 'PERCEPTRON')

A software function designed to mimic the behaviour of a neuron.

COMPUTER VISION

An application that analyses an image (or sequence of images) and extracts useful information.

CONVOLUTIONAL NEURAL NETWORK

A type of artificial neural network designed specifically for analysing visual imagery.

DEEP LEARNING

A subset of machine learning which is based on learning data representations (instead of taskspecific algorithms).

IMAGE CLASSIFICATION

Taking an input image and inferring a class, such as a 'cat', 'dog', or 'human'.

INFERENCE

A probable conclusion reached on the basis of evidence and reasoning. The Vision Kit may take a look at an image of a cat, for example, and infer that the image contains... a cat.

MACHINE LEARNING

The field of computer science that gives computers the ability to learn without being explicitly programmed for tasks.

MACHINE INTELLIGENCE

Artificial intelligence displayed by machines, as opposed to natural intelligence (displayed by humans). Typically used when AI is coupled with hardware.

MACHINE VISION

The technology and methods used to provide imaging-based automatic inspection and analysis.

NEURAL NETWORK

A connected system (built from connected nodes/neurons of data). Inspired by the biological neural networks that constitute animal brains.

NEURON

A biological cell that carries an electrical impulse. The human brain contains roughly 100 billion neurons.

NODE

A basic unit used in computer science. Typically it's a single value, cluster of values, or function. Nodes are typically arranged into connected structures called graphs (or 'binary trees'). In a neural network, the artificial neurons are connected together as nodes in a graph structure.

OBJECT RECOGNITION

Technology in the field of computer vision for finding and identifying objects.

See Wikipedia's Glossary of Artificial Intelligence for more information: **magpi.cc/2j0Djj0**

AIY PROJECTS FOR MAKERS



Setting up your AIY Projects Vision kit

hen you first get hold of your Vision Kit, you'll use it to set up a Smart Camera. This cardboard box has a camera lens, button, LED light, piezo buzzer, and a Privacy LED (so you can see when it's recording).


All you need is a Raspberry Pi Zero W, a Pi Camera Module V2, and a blank microSD card. A free Android app is coming soon to help you easily control your device.

You will need a Pi Zero W with a GPIO pin header attached. You can solder the pins to your Pi Zero W, or buy a pre-soldered Pi Zero W, such as this model from Pi Supply (magpi.cc/2BKwDsD).

You'll need to download the Vision Kit SD image (available from the AIY Projects website, **aiyprojects.withgoogle.com**) and write it to the microSD card.


After it's downloaded, write the image to your microSD card using a card-writing utility such as Etcher.io (see Burn SD Cards with Etcher, **magpi.cc/2fZkyJD**).


While downloading the Vision Kit SD image, you can assemble the Vision Kit cardboard case. We have some truncated steps overleaf, showing how the parts of the kit work together – the full step-by-step guide can be found on the AIY Projects website.



INSIDE THE VISION KIT

Feature









Here's how the various parts work to form the AIY Projects: Vision Kit. A complete step-by-step guide to the build is available at **magpi.cc/2AEwfgf**

>STEP-01 MIPI flex cable

The MIPI flex cable connects the VisionBonnet to the Pi Zero W board via the camera connector socket (the Camera Module is connected directly to the VisionBonnet later in the build). You gently pull back the black release lever on the VisionBonnet and slide in the MIPI cable, then secure the cable by pushing back the release lever. The process is then repeated on the Pi Zero W board.






>STEP-02 RGB LED button

The Vision Kit includes an RGB LED button (capable of providing visual feedback via different colours). The 50 mil ribbon cable is plugged it into the button connector on the VisionBonnet board. This is then used to connect the RGB LED Button to the VisionBonnet board.

>STEP-3 Camera

The Pi Camera Module is connected directly to the VisionBonnet (rather than to the Pi Zero W). The larger end of the Pi Zero camera flat flex cable connects to the Camera Module V2, and the smaller end of the Pi Zero camera flat flex cable is plugged into the VisionBonnet board connector.



INSIDE THE VISION KIT

Feature

>STEP-04 Piezo buzzer

As you're assembling the cardboard frame, a piezo buzzer is inserted inside the frame. This provides simple audio, which, along with the multicoloured LED button, is used to provide basic feedback.





>STEP-05 Privacy LED

The privacy LED is inserted into the LED bezel and fitted to the front of the cardboard frame. This is used to provide a visual clue to users when the device is recording images. It's useful for feedback, and also good manners to let people know when they're being recorded.



>STEP-06 Tucked inside

The arcade button is placed on the top of the cardboard frame. Then the other end of the 50 mil ribbon cable is connected to it. The piezo buzzer cable and privacy LED cables are also attached to the LED button. Then you tuck all the components down to form a complete kit.

AIY PROJECTS FOR MAKERS

LEARN HOW IMAGE RECOGNITION WORKS

With your Vision Kit set up, you're ready to start exploring object detection with your Raspberry Pi

ttaching a VisionBonnet to your Pi Zero W enables it to perform machine vision tasks, where your projects can infer objects, detect faces, or even human emotions.

But what goes on under the hood? In this part of the feature, we're going to take a very highlevel look at artificial intelligence and neural networks that are based on our understanding of the human brain.

Figure 1

In particular, we'll look at a special type of artificial neural network called a 'convolutional neural network'. This is the data structure that enables your Raspberry Pi to perform image detection.

This is a shallow introduction; dive a little deeper and you'll find a lot of mathematical structures, interesting algorithms, and lots and lots of connected data.

It's dizzying to behold, but fascinating and sits right at

the cutting-edge of modern technological developments.

The good news is this: at the maker level, it is easy to add machine intelligence to your projects. Google is providing a detailed API and models which you can use to quickly add image recognition to your projects.

A bit of understanding goes a long way. So let's see what's going on inside the VisionBonnet.



BIOLOGICAL NETWORK

In the human body, a neuron is an excitable cell which transmits information through electrical and chemical signals. The fundamental unit of the brain and nervous system, it's responsible for receiving sensory input from the external world.


ARTIFICIAL NEURON


Inspired by biological systems, neurons have been roughly modelled in software using algorithms.

TRANSFER FUNCTION

Neural networks are formed by connecting artificial neurons like this together in a computational graph. Pixels come in as input values, and they are multiplied by weights and a bias value is added. A computed value is then passed to the next neuron.

Image courtesy of Rossenblatton Perceptron, Wikimedia (magpi.cc/2At6loE)





>STEP 01 Biological neuron

Take a look at the top half of our **Figure 1** on the left: biological and artificial neurons. This is of course an example of a biological neuron. Information arrives as a natural electrical signal via the dendrites, and if enough signal arrives in the neuron via dendrites, a signal is passed on to other neurons via the axon. Neurons are clustered together in the visual cortex to detect different shapes and other visual information. The patterns formed by clusters of 'firing' neurons enable us to make sense of what we see.

>STEP 02 Artificial neuron

Artificial intelligence, famously known as AI, attempts to mimic the behaviour of biological human neural networks using an artificial neuron, which is known as a 'perceptron'. This is shown in the lower half of **Figure 1** on the left. The perceptron also has inputs and outputs. Here, the inputs are typically a value from each pixel in an image.

>STEP 03 Weights and biases

So how does a perceptron know when to activate? Information comes into the artificial neuron as floating-point numbers. It's then multiplied by a weight (which is calculated and changes as the neuron is 'trained'). A bias number is added and another mathematical function is used as an activation layer – it's this number that is passed on to the next perceptron.

>STEP-04 Neural networks

There are approximately 100 billion neurons in the human brain, so we need plenty to make our machine vision work. The artificial neurons are connected together to form a 'Neural Network' (**Figure 2**). The input layers at the top represent the data you start with (such as the pixels in an image) and the output layer is an estimate of the output (such as a matching label, like 'dog' or 'smile'). In between are hidden layers, which don't see the whole network, just the previous and next layers.

object_detection.py

import argparse
from PIL import Image
from PIL import ImageDraw

from aiy.vision.inference import ImageInference
from aiy.vision.models import object_detection

```
def _crop_center(image):
  width, height = image.size
  size = min(width, height)
  x, y = (width - size) / 2, (height - size) / 2
  return image.crop((x, y, x + size, y + size)), (x, y)
```

def main():

```
parser = argparse.ArgumentParser()
parser.add_argument('--input', '-i', dest='input',
required=True)
parser.add_argument('--output', '-o',
dest='output')
args = parser.parse_args()
with ImageInference(object_detection.model()) as
```

```
inference:
    image = Image.open(args.input)
    image_center, offset = _crop_center(image)
    draw = ImageDraw.Draw(image)
    result = inference.run(image_center)
    for i, obj in enumerate(object_detection.get_
    objects(result, 0.3, offset)):
        print('Object #%d: %s' % (i, str(obj)))
        x, y, width, height = obj.bounding_box
        draw.rectangle((x, y, x + width, y + height),
    outline='red')
    if args.output:
        image.save(args.output)
if __name__ == '__main__':
```

```
main()
```

TENSORFLOW PLAYGROUND

A great way to get a visual understanding of neural networks is to use the TensorFlow Playground. This interactive website enables you to test out different combinations of neural network elements against datasets (blue and orange dots arranged in different patterns). You can see how adding features and hidden layers can make the neural network better at pattern recognition.

playground.tensorflow.org



AIY PROJECTS FOR MAKERS

LEARN MORE ABOUT NEURAL NETWORKS


Here are some resources for learning more about artificial neurons, neural networks, and convolutional neural networks.



Cats & dogs & convolutional neural networks

A great coding example for building a cat and dog detector with TensorFlow.

magpi.cc/2jl2qcU



A Beginner's Guide To Understanding Convolutional Neural Networks

A thorough explanation of how neural networks work. This page outlines how they break down images into shapes to accurately detect different objects. magpi.cc/2jlUUhX

1 Overview	 TensorFlow and deep learning, without a PhD 	① 149 min remaining
Preparation: Install 2) TensorFlow, get the sample code	1. Overview	
3 Theory, train a neural network	>TensorFlow and deep learning	
Theory a 1-layer neural retwork	without a PhD	
Theory, gradient descent	Science Code	
Latz let's jump into the code		
7) Lab: adding layers		

Tensorflow and Deep Learning without a PhD

A free resource from Google that takes you through the process of creating a neural network that can recognise handwritten digits.

magpi.cc/2jlDdzk



Complete Guide to TensorFlow for Deep Learning with Python

If you're serious about learning more about how TensorFlow works and the creation of artificial neural networks, then this is the course to sign up for. It costs £20, but is often on sale, and can be picked up for as little as £10 if you're patient. magpi.cc/2jnE7LM




Figure 3 There are many different types of neural networks, specialised for different use cases. For computer vision and natural language processing, the most common type is the convolutional neural network (CNN). It breaks up images into small squares to identify common shapes and features (such as arcs, circles, dots, and lines). It's based on our understanding of the biological cortex. Image credit: Wikimedia

>STEP-05 Deep neural networks

More layers give greater accuracy and also enable the artificial neural network to handle far more complex tasks.

So in our artificial vision model, some layers could detect the edges of images; some could note things like eyes, or eyebrows, or lines of the face, or the curve of a smile.

But there's a performance tradeoff. So designing a good neural network is a balancing act.

If you have three or more layers, you get a deep neural network, which is where you get the term 'deep learning' from.

>STEP-06 Biological neural network

Getting back to the biological vision for a bit. Back in 1981, two professors named Hubel and Wiesel won the Nobel prize for studying the visual cortex in mammals. What they discovered was that neurons in the visual cortex have a small receptive field. They only look at small parts of what you see. They overlap to view the larger image. Different clusters of neurons are activated when they identify certain shapes: circles, horizontal lines, vertical lines, arcs, and so on.

>STEP-07 The convolutional neural network

This brings us to the big discovery: the convolutional neural network. This was first outlined in 1998, in a paper called *Gradient-Based Learning Applied to Document Recognition*, by Yann LeCun and others (**magpi.cc/2BHJ48A**). The convolutional neural network mimics the biological neural network discovered by Hubel and Wiesel.

>STEP-08 Breaking it down

Convolutional neural networks are designed specifically for image recognition. The CNN breaks down an image into increasingly small squares, called 'convolutions' or 'filters', in a process known as 'subsampling'. See **Figure 3**, above.

TENSORFLOW PROCESSING UNIT

TensorFlow is a Google-sponsored software library used to develop neural network architectures, such as the convolutional neural network we've outlined here.

Large sets of labelled data are used to train the network into a model for a purpose.



Google researchers have developed high-performance neural networks for image recognition, working best with specialised hardware. This hardware revolves around a tensor processing unit (TPU), an integrated circuit developed by Google specifically for machine learning. The chip on the VisionBonnet is acting as a TPU.

INSIDE THE VISION KIT

Feature

Each artificial neuron (perceptron) is connected to a small number of nearby neurons. These are grouped into small neighbourhoods that (like our biological neurons) detect shapes inside images: horizontal lines, arcs, circular dots, and so on.

>STEP-09 Training stage

So now we have our convolutional neural network, how do we get it to detect cats from dogs, or know when a human is smiling or frowning? The network is trained using thousands of training images against known labels (such as 'dogs' or 'cats') to create a model. This model is then tested against images it's never seen before to see how accurate it is. If the model is any good, you can use it in your projects.

>STEP-10 Loading models

For the most part, we expect folks to start by uploading models made by Google. Later you'll use models built by the community. Want a sheep-detector for your petting zoo? Need to keep an eye on a tool on a production line and know when it's about to fail? Just ask other members of the AIY Projects community to help.

Google has already created three models that you can load onto your Vision Kit: a cat, dog, or human face detector; a human face and sentiment detector; and a model that identifies 1001 different commonplace objects.

>STEP-11 Follow the test code

There are three pieces of example code in this feature related to AIY Vision Kit and your projects. The first two, **object_detection.py** and **image_classification.py**, accept an image file and infer objects or classify images. The third uses the Pi Camera and snaps a photo if it detects faces. Take a look to see what's possible.

image_classification.py

import argparse
from PIL import Image

from aiy.vision.inference import ImageInference
from aiy.vision.models import image_classification

def main():

```
parser = argparse.ArgumentParser()
parser.add_argument('--input', '-i', dest='input', required=True)
args = parser.parse_args()
```

```
with ImageInference(image_classification.model()) as inference:
    image = Image.open(args.input)
    classes = image_classification.get_classes(inference.run(image))
    for i, (label, score) in enumerate(classes):
        print('Result %d: %s (prob=%f)' % (i, label, score))
```

if __name__ == '__main__':
 main()


face_detection.py

from aiy.vision.inference import CameraInference
from aiy.vision.models import face_detection
from picamera import PiCamera

```
def main():
    with PiCamera() as camera:
        camera.resolution = (1640, 922)
        camera.start_preview()
    with CameraInference(face_detection.model()) as inference:
        for result in inference.run():
        if len(face_detection.get_faces(result)) >= 1:
            camera.capture('faces.jpg')
            break
```

camera.stop_preview()

if __name__ == '__main__':
 main()





RASPBERRY PI PROJECTS BOOK

Amazing hacking and making projects from the makers of *MagPi* magazine

Inside:

How to get started coding on Raspberry Pi

The most inspirational community projects

Essential tutorials, guides, and ideas

Expert reviews and buying advice

magpi.cc/MagPiStore plus all good newsagents and:

WHSmith **BARNES&NOBLE**






Available

now

Review pi-top

Maker Says A modular laptop that gives you the tools to complete amazing DIY

projects pi-top



Related

PIPER COMPUTER KIT

A wooden computer and electronics kit with a built-in screen. Not a complete laptop, but a similar solution for teaching kids to code and use electronics.



he second-generation pi-top laptop is a device that has been long awaited by the Raspberry Pi team. While the first attempt was an interesting home-brew attempt to 3D-print a laptop, this is the point where it goes professional.

Inside the box you get a pi-top housing, Inventor's Kit, power supply and, of course, a Raspberry Pi 3 computer.

The pi-top kit does require some assembly. The Raspberry Pi is screwed into place behind the keyboard. It takes up two USB ports, leaving two free and accessible from behind the laptop case. A Hub PCB slides to the right of the Raspberry Pi and hooks into the 3.5mm jack and HDMI socket.

A metal Cooling Bridge bridges the gap between the Hub PCB and GPIO pins on the Raspberry Pi. It's required to power the Raspberry Pi, however, and you can't remove it and access the GPIO pins on your Raspberry Pi directly. The Cooling Bridge blocks off access to the GPIO pins, and prototyping takes place on the separate pi-topPROTO+ board (which has a pin breakout along with analogue pins).

Setup is easy. Really easy. It literally takes five minutes. Obviously this is good in one respect, because it reduces the potential for problems.

We can't help wishing the build had slightly more to it. The keyboard, screen, trackpad, and battery all come in the preassembled kit and the assembly process felt vaguely superficial.

Design notes

There are some truly great touches to the design. Let's start with its marquee feature, a sliding keyboard that moves down to reveal the inner components. It slides smoothly and clicks into either position.

The chiclet-style keyboard is a joy to type on, with the same

Vastly improved build quality and fantastic starter projects. By **Lucy Hattersley**

level of quality you'd find on an Intel-based laptop.

You can keep typing with the keyboard down thanks to a clever sliding cable system. And behind the keys lie two magnetic strips. Parts such as the PROTO+ and separate pi-topPULSE accessory clamp onto the rails.

There's even a neat multi-tool accessory. One end is used as a screwdriver for the Raspberry Pi and Cooling Bridge. The other is a neat clamp that holds a microSD card so you can slide it in and out of the Raspberry Pi without having to remove the board. Clever stuff! We hope whoever designed the multi-tool got a pay rise. It also clamps on to the magnetic rail so you can take it with you.

Above the keyboard sits a glorious 1920×1080 display. It's a vast improvement on the previous model, and is surrounded by a nice bezel with rubber feet to hold it neatly against the keyboard when closed.



All of which is powered by a battery providing six to eight hours of life. We easily got a full day out of it, and it held charge for a week without losing all its power.

Beneath the keyboard is a larger trackpad which – and it pains us to say this – sucks. It is sensitive to taps and brushes that frequently worksheets for everything from getting started to building electronics projects. Set up an account with pi-top and you get tracking stats for the number of lines of code you've created, and the worksheets you've completed.

And you can always run Raspbian Stretch, which was

The same level of quality you'd find on an Intel-based laptop

move the cursor unintentionally. We ended up connecting a mouse instead of using the trackpad.

PolarisOS

Once everything is set up, you can start using the pi-top with the custom PolarisOS software. This is a custom build of Raspbian Jessie with extra software such as Google Drive and Google Docs. You also get neat extras such as Turtle ART and 3D Slash.

Alongside Minecraft Pi and Python games is an extra offering called pi-topCEED Universe. This is a neat top-down adventure game where you have to use code to solve challenges.

And there's a built-in app called pi-topCODER. This contains

recently updated with pi-top extras such as a battery gauge.

Is the price right?

At £259 the pi-top is by no means extravagant in the laptop world. But it's a far cry from the \$35 computer that the Raspberry Pi itself represents. Even at £259 you don't get everything on offer. Accessories like the pi-topPULSE (\$49.99) with an RGB matrix cost extra. You can even spend an extra \$19.99 for a speaker, which isn't included in the base package (although you can listen to sound using the headphone socket).

Of course, buying a Linux laptop for the same price misses the point. Along with the pi-top you get a fantastic Inventor's Kit containing LEDs, buttons, SH–SR04 echolocation sensor, and a potentiometer. And you can prototype on a Raspberry Pi using the GPIO breakout pins on the pitopPROTO+).

And let's not forget it includes Mathematica. For some people, this alone could be worth the price of admission. Mathematica costs £210 for a Home & Hobby licence. It's free with Raspbian.

The pi-top also contains three high-quality cardboard cut-out kits and a raft of software and workshops for kids. This enables kids to build a cardboard robot, spaceship, and music maker alongside learning basic coding and electronics skills. We think these are great projects that perfectly blend physical construction activity with coding. Well done!

Last word

An amazing environment for kids to learn computing and digital making. And it's pretty good for adults who want to prototype Raspberry Pi projects on the move. Vastly improved upon the original pi-top, but still with quirks. We're taking off a star for the trackpad, but connect a mouse and this is the perfect laptop.





BADGE KIT

Related

CIRCUIT PLAYGROUND

This ring of NeoPixels has four built-in sensors, plus pads around the outside to connect others using crocodile clips. It's programmable on any computer (including the Pi) using the Arduino IDE.



This light-up LED badge can be sewn onto clothes and triggered by a sensor



imoroni's Bearables collection offers a choice of two cute animal LED badges - bear and fox - along with a couple of sensors that can be attached to them using conductive thread. While the badges and sensors are available separately, the complete kit includes either a bear badge with motion sensor, or a fox badge with light sensor. Both versions include a generous 3 metres of conductive thread, along with a CR2032 coin cell that provides 3-4 days of active use (i.e. when the badge is not in sleep mode).

On its own, the badge can be operated manually by repeatedly pressing the tiny button on the side to switch between 12 different

BEARABLES BADGE KIT

Review



LED patterns: a good selection, including chase lights and fades. The LEDs are single colour, but come in six shades: blue, green, yellow, orange, red, and pink. There's also the possibility of creating your own custom patterns using a Raspberry Pi. sensor will then trigger the LEDs through motion or lack of light, depending on its type.

The badge can be hooked up to a Raspberry Pi via I²C. This involves soldering wires (or a header) to metal pads on the rear of the badge and connecting them to Above The neatly packaged kit includes everything you need

Right Available in fox and bear styles, the badges feature 12 coloured LEDs



The kit includes either a bear badge with motion sensor, or a fox badge with light sensor

When sewing the badge to a garment or bag, you need to connect each of its two metal hooks to one of those on the sensor. Polarity doesn't matter, but you need to avoid the two lengths of conductive thread touching. Getting a good enough connection also requires winding the thread four or five times around each hook – it's best to secure it with a blob of clear nail varnish, too. Upon holding the badge button down, the attached the relevant GPIO pins. Helpfully, Pimoroni has created a Bearables Python library (**magpi.cc/2AcQ3H6**) enabling you to control individual LEDs and respond to button presses. Since the badge hooks can read raw ADC values (0-255), they should be usable with pretty much any analogue sensor. Not only that, but they can read GPIO pins pulled high or low, opening up all sorts of possibilities for triggering LED patterns from the Pi.

Last word


Excellent value for money, the badge kit has everything you need to sew your interactive badge and sensor to clothes – although it should be noted that they don't like water, so don't put them in the wash! Best of all, you can link the badge up to a Pi to create custom light patterns and a whole lot more.



Review **PITRAFFIC**

magpi.cc/2ANbVcw

£12 / \$16



Related

CAMJAM EDUKIT 1

It might only have three LEDs, but you build a traffic light yourself with jumper wires and resistors. Comes with a set of printable worksheets.



etting up LED lights is a common starter project, so much so that we frequently feature it in our beginner's guides. Just set up an LED and use a bit of code to turn a light on and off.

It's common for educators to turn to traffic lights as inspiration for a quick follow-on project: LEDs are readily available in red, yellow (amber) and green. Students can see the relationship between the code they create and physical objects being controlled in the real world.

Setting up traffic lights is a hassle, though. You need at least three LEDs for each light, plus a button if you're creating a pelican crossing. Setting up more than one set of lights quickly becomes a tangled bird's nest of wires, resistors, buttons, and LEDs. The PiTraffic HAT solves this by placing four traffic light sticks on top of the board. It also features a button to one side, and a piezo buzzer in the middle of the traffic lights (so your pelican crossing can beep, just like in the real world).

Setup is simple. Just plug the four traffic light sticks into the four sets of pins on top, and connect the PiTraffic HAT to the GPIO pins on any Raspberry Pi that has a 40-pin header.

Then you should download test code from GitHub (git clone magpi.cc/2ymyx0E).

After importing the PiTraffic code, you create instances of **Traffic** objects for each light, such as **SouthRed = Traffic("SOUTH", "RED"**). Once created, these are controlled using **on()** and **off()** methods, such as SouthRed.on()
and SouthRed.off().

The only thing missing for us was Scratch support, which SB Components inform us is coming soon. The inclusion of Scratch will make this a compelling starter project for students. In the meantime we enjoyed using the Python API to code our lights.

Last word

A great starter HAT that takes much of the tangle out of a classic project. Students can test out traffic light code and see their results running in a miniature recreation.



HackSpace

THE NEW MAGAZINE FOR MODERN MAKER



ISSUE #02 OUT NOW

hsmag.cc





Review

magpi.cc/2Amnzy0

Maker Says

neat little board adds a programmable power switch to your Raspberry Pi Nanomesher

RASPBERRY PI POWER SWITCH

Rob Zwetsloot looks at a simple, functional addition to the Raspberry Pi that goes the extra mile

Related

PI SUPPLY SWITCH

A similar bit of tech allows you to smartly turn on and off a Pi without it just being a hard power cut, although this one lacks a remote.



ne of the things we always hear about concerning the Raspberry Pi is that a lot of people would like it to have a power switch of some kind. There are a few solutions for this you can try, ranging from a simple USB switch to custom, soldered-on buttons. This Raspberry Pi Power Switch is a little different, though.

At least it *can* be different – out of the box you get a little circuit board that connects to the Raspberry Pi GPIO, and also acts as a bridge to the USB power. You can then use it with the remote it comes with, along with some extra code you need to install yourself, to remotely power your Pi on and off with a press of a button. Nice and simple, and exactly what most people want. It's small as well, so should slip into most projects. The real magic of the board comes from the programmable ATtiny MCU controller. It's a completely hackable chip that sits on the Power Switch board but can be removed and reprogrammed to provide other functionality with the remote.

The catch is that you need to reprogram it via an Arduinocompatible platform like an Uno. If you pay a bit more, you can get these Arduino devices with the switch if you don't already own one, but you'll need to wire it up yourself to the Arduino with a breadboard.


You can hack it to recognise more signals from the included remote (or indeed any compatible remote), and even change the timings and function of the shutdown. Want a button in case you need to do a hard reset? You can add that by hacking the chip and then replacing it on the board. Very simple.

We like the design of the board, but we feel it would function better as some form of HAT, even if just as an optional way to attach it to the Raspberry Pi. Otherwise, the Power Switch works well enough and does the job of being able to turn the Pi on or off safely.

Last word

Going beyond what you'd expect of a typical on/off switch by making it hackable is a very novel idea. However, we feel like there could be some minor improvements to its connectivity.





A professional control system development tool, now available for home use



CDP Studio is a development platform for industrial control systems, now coming with a free version for non-commercial use. CDP Studio makes creating control projects easy, from large industrial systems, professional prototyping, demonstration systems and now home projects.

CDP Studio is independent of other software and hardware providers. The system can run on a Raspberry Pi, supports open source libraries and with a large feature toolbox including GPIO, I2C and MQTT. Its built in GUI design tool and features lets you code less and do more.

Download on www.cdpstudio.com

CDP Technologies AS Nedre Strandgate 29 P.O. Box 144 NO-6001 Ålesund, Norway Tel: +47 990 80 900 info@cdptech.com www.cdpstudio.com



BOOKS

RASPBERRY PI BESTSELLERS RUBY

While Rails is less trendy, Ruby remains the cornerstone of much DevOps software.

Beginning

BEGINNING RUBY 3RD EDITION

Author: Peter Cooper Publisher: Apress Price: £29.50 ISBN: 978-1484212790 magpi.cc/2knB8pl

Ruby, OOP, and good programming practice combined in a volume that touches on all the essentials from file handling through to documenting your code. A great intro for all, including coding beginners.

RUBY RECIPES: A PROBLEM-SOLUTION APPROACH

Author: Malay Mandal Publisher: Apress Price: £15.99 ISBN: 978-1484224687 magpi.cc/2koiJJp

Cookbook-style collection of code snippets and short howtos covering common scripting uses and teaching a fair bit of Ruby along the way in objectoriented and even functional programming style.

TEST DRIVEN DEVELOPMENT IN RUBY

Author: Bala Paranj Publisher: Apress Price: £31.99 ISBN: 978-1484226377 magpi.cc/2kqCK2c

A clear-sighted look at incorporating TDD into your coding workflow, based in Ruby, but strong on general principles that you'll be able to take away to Python and other languages.



A COMMON-SENSE GUIDE TO DATA STRUCTURES & ALGORITHMS

Author: Jay Wengrow Publisher: Pragmatic Bookshelf Price: £36.99 ISBN: 978-1680502442 magpi.cc/2krltWm

Data structures and algorithms are what programming, essentially, is all

about. While it's easy to get started in coding, if you've not had a formal computer science education, or if time and other activities have dimmed the memories, Wengrow's carefully structured guide aims to fill in the gap.

It's also an essential subject if you've turned self-taught coding into a career, and have been flummoxed in a job interview when the questions turned to, say, Big O notation. We've reviewed a few algorithm books at either end of the

THE PYTHON 3 STANDARD LIBRARY BY EXAMPLE

Author: Doug Hellmann Publisher: Addison Wesley Price: £47.99 ISBN: 978-0134291055 magpi.cc/2BNzRwq

The Python 3 Standard Library by Example

The Python Standard Library is the 'batteries included' part of the language, giving the programmer a huge boost by providing them, inter alia, with modules for database connection, GUIs, networking, regular expressions, and unit tests. Doug Hellmann has long documented interesting and useful modules from the library in his popular Python Module of the Week (PyMOTW) blog, which led to the previous edition of this book. Blog and book are now both updated for Python 3.

Modules get illustrated with code and discussion, aimed at

technical spectrum, but this one is squarely in the middle, aimed at coders, but those lacking in the rigorous mathematical education.



And the explanation of Big O, and many other topics, should be graspable by any who have struggled with denser books.

Most importantly, this is a book with a practical purpose for

programmers – speeding up your code. Having shown you how to understand and to measure the efficiency of your code, you'll see how the right algorithm and data structure for your project can make orders of magnitude of difference in the speed and scalability of a program. Clear explanations, essential theory, practical outcome – a great combination.



intermediate-level developers who already have enough understanding of the language and its ways to follow along. The examples manage, through more than 1300

pages, to always hit the mark. Between Hellmann's clarity of thought and Python code's general readability, this is a great learning resource.

Note, there have been complaints about the code formatting of the e-book version, but the printed

version (reviewed here) is correctly formatted. And this is a book that every Python programmer should have on their bookshelf, not just for reference, but to regularly take down and work through a Python module or three. Advanced abilities in Python consist largely of knowing what is available, and not wasting time reinventing work already done. An essential purchase.



82

BOOKS

Review

ACCESSIBILITY FOR EVERYONE

Author: Laura Kalbag Publisher: A Book Apart Price: \$37.50 ISBN: 978-1937557614 magpi.cc/2ksBlb9

"Design decisions made in the name of accessibility

generally benefit everyone, because all technology is assistive," says Kalbag, midway through this excellent look at the why and how of accessibility - a topic that seems to vex some projects and websites so much that they ignore it entirely! Those who don't access the world via screen, mouse, and keyboard in exactly the same fashion are often inadvertently sidelined.

Fortunately, there are some relatively easy ideas to incorporate accessibility into your workflow: universal design

R FOR EVERYONE 2ND EDITION

Author: Jared P Lander Publisher: Addison Wesley Price: £24.99 ISBN: 978-0134546926 magpi.cc/2krzIKV

While tremendously popular, in no small

part thanks to the rapid growth in data science, R is not as easy to get started with as some languages

such as Python – thanks to its complexity. This is a language that can do much with statistics, algebra, and machine learning
but steering a path through to data science mastery in R, unless you have a lot of time on your hands, means knowing which bits to ignore.

Basic mathematical use, data structures, and graphing tools precede programming basics like control flow, showing R's



makes a site easy to read and understand for everyone. We all, at different stages in our lives,

"traffic between times of relative independence and dependence," needing more or less assistance to see, hear, interact with, or understand a website or app.

Foremost, setting up an accessibility policy – based on "extensive research into the needs of your target

audience" – means that you have an agreed basis in the project for putting everyone's needs into each stage of the design. The practical and straightforward steps you can take – from content and design, through legal considerations, to testing – are outlined systematically by Kalbag, and always combined with a good dose of common sense. A timely look at an essential topic.



strengths and main use cases. Following these come several

Evervone

JARED P. LANDER

chapters of practical data-led tutorials highlighting essential R packages, like dplyr and purrr, statistical and linear models, and techniques from data reshaping to K-means clustering.

In *R* for Everyone, Lander takes you on a structured path through the 20% or so of key *R* functionality which will enable you to manipulate and visualise data, and you won't feel shortchanged by the time you reach the end. Lander combines the deep knowledge of a professional data scientist with the clear thinking of an experienced instructor. Nothing is oversimplified, but the confident beginner will be well rewarded.




ESSENTIAL READING: NEW YEAR RESOLUTIONS

New Year, new opportunities – run straight towards them with eager embrace!

Resolution: Get really organised!

Getting Things Done: The Art of Stress-free Productivity

Author: David Allen Publisher: Piatkus Price: £13.99 ISBN: 978-0349408941 magpi.cc/2krx5Jd




The productivity method that will keep your inbox empty, and your mind free to be creative.

Resolution: Think functionally!

The Little Schemer

Authors: Daniel P Friedman & Matthias Felleisen Publisher: MIT Press

Price: £32.95 ISBN: 978-0262560993 magpi.cc/2kpSfHJ




Make this year the one you learn to truly understand recursion, functional thinking, and the basics of Lisp.

Resolution: Learn a dead language!

Learn Latin

Author: Peter Jones Publisher: Gerald Duckworth Price: \$14.99 ISBN: 978-0715627570 magpi.cc/2kpomad



Latin gives us many scientific root words, has a lovely logical structure, and learning it will stimulate your brain.

Resolution: Become an algorithm adept!

The Art of Computer Programming

Author: Donald Knuth Publisher: Addison Wesley Price: £150 ISBN: 978-0321751041 magpi.cc/2krFKv4



Start your heroic struggle to really understand computer science, with the Turing Award-winning master of algorithms, Knuth.

Resolution: Get outside everyday

Permaculture in Pots

Author: Juliet Kemp Publisher: Permanent Publications Price: £12.95 ISBN: 978-1856230971 magpi.cc/2kpoXZv

Take a screen break; connect with the soil and elements for a few minutes, and grow some tasty food.



Community

INTERVIEW



Aneet Narendranath

Occupation: University lecturer



The current time is 10:00:49

For Statics (MEEM 2110), enter 1 Mechanics of materials (MEEM 2150), enter 2 r Thermodynamics/ETF-1 (MEEM 2201), enter 3 For Dynamics (MEEM 2700), enter 4 For MATLAB help, enter 5 For study space, enter 6

Enter your choice and then press the RETURN key:

UNIVERSITY STUDE 'A (]()| .| .⊢!(]'|' OWERED BY PI

Lowering the costs of a university's student service was only one of the benefits that Aneet Narendranath gleaned from using the Pi


Below Data flow of the system that Aneet has successfully tested

verhauling internal \square computer systems can be hard, especially in places where the systems are vital. In the case of Michigan Tech ELC, replacing a proprietary data collection system - used by students - with Raspberry Pi

is looking to be not only costeffective, but also an upgrade over an existing system, as Aneet Narendranath explains to us.

Can you tell us about your Pi data collection system?

At Michigan Tech as part of my



direct the operations of the Engineering Learning Center (ELC). The ELC is an in-house tutoring resource that helps engineering students with concepts and concept applications for engineering problems that they encounter in homework assignments. The tutors in the ELC, who have the title 'coach', are students themselves. At the ELC, we use peer-to-peer instruction as a method of teaching and learning. The purpose of the ELC is to allow engineering problem resolution through concept discussion amongst peers.


responsibilities, I manage and

At the ELC, I work with a certain yearly budget. The budget and the staffing of the ELC with coaches are coupled strongly. To ensure that we optimise our monetary resources through effective staffing, whilst ensuring that students receive help when they need it, is a (multidimensional mathematical)

Raspberry Pi: Reports will be auto-generated and available via ssh/ftp/webpage. Supplementary analysis code for MATLAB and Excel will be created for future.

ANEET NARENDRANATH

Community



Above This is a heat map of the ELC usage, processed on a Pi. It helps improve resource allocation

challenge. To perform this optimisation, we need (or needed) to collect ELC usage data to visualise what courses, hours of the day, and days of the week the ELC is used the most by students. By collecting data over several semesters, we found patterns in ELC usage and that allowed us to make staffing decisions, thereby helping us balance our budget while assisting students.

We have a proprietary 'Learning Center Management System' that we use currently. We are planning on replacing it with a Raspberry Pi-based (prototype) data collection alternative. In this Raspberry Pi system, data can be collected through an interface written in Bash and then analysed through Python and Octave scripts. This Raspberry Pi alternative is in its alpha version. The beta version will be deployed shortly.

How did the idea come about?

Our previous method of data collection, which was proprietary although effective, was not flexible and could not be automated for ELC-specific usage. This and its cost had us review other options. I have personally used the Raspberry Pi to keep track of my house when I am away on vacation (like an IoT device). Given that I had already used it extensively at home and am fairly comfortable with the Pi and Linux Bash and Python scripting, I thought, why not write some code that is deployed on the Raspberry Pi and would help understand ELC



As its name suggests, Michigan Tech is a university that started as a school for teaching engineering, specifically miners. Over the years the course topics have increased, so while there's still a bit of an engineering and science focus in the

usage? It would collect student data through an interface and churn out reports in automated fashion, in a form and shape as decided by the needs of the ELC.

Why the Raspberry Pi?

It is inexpensive but is still robust. For example, I have left my Raspberry Pi on, running this data collection code for 90 days with no issues. It allows for all the flexibility and power of a Linux computer, seeing as I run Raspbian.

What hardware and software are you using?

I have several Raspberry Pi Zero Ws running Raspbian/Jessie or Lite. I also have a few Raspberry Pi 3Bs in the system. The data collection software is a Bash script. The data analysis and post-processing program was written in Python (with NumPy, Matplotlib, and Pandas) and Octave.

Have you had any interest from other universities?

No, this is a project that is internal to our mechanical engineering department for now. There has been some interest from other departments on-campus at my university.

curriculum, you can also take courses in business, art, and social studies. Besides there's always a wide variety of research being done across the school at every level of learning.

Do you have any online resources for people who might want to build their own?

All of what I have is 'software based'. I will eventually have a Git page dedicated to this project that others can fork from.

The use of data-science tools to make staffing and optimisation decisions for our Learning Center is a relatively new venture. We hope to understand our Learning Center's usage better and be better prepared to help students. Learning Center staffing is a complex multidimensional problem, much like a complex 'job shop scheduling' problem. It is neat that we have an internally developed Raspberry Pi-based interface to collect and analyse data in an automated manner. The robust nature of the Pi, its flexibility and automation, and its cost are some of the main reasons that this is being deployed at our ELC.

Below Aneet has several Pi Zero Ws running Raspbian Jessie or Lite



Community

FEATURE

THE MONTH IN RASPBERRY PI

Everything else that happened this month in the world of Raspberry Pi

ME. HERE'S SOME OF THE INCREDIBLE THINGS THE COMMUNITY ARE MAKING AROUND CHRISTMAS!

s we write this issue slap-bang in the middle of December, members of the community are revealing their amazing Christmas-themed projects and Pi decorations. We love some special festive projects here at The MagPi, so here are some of our faves!



Follow

Replying to @TheMagP1

Don't have a tree so I'm adding networkcontrollable LEDs to a bookshelf:



CHRISTMAS LIGHTS BOOKSHELF magpi.cc/2B2uATV

Sometimes you have to work with what you've got, so we like the idea behind this LED-lit bookshelf with controllable colours. Useful at any time of the year, and festive when you want it to be.

ANIMATED XMAS TREE magpi.cc/2B1XUKb

A fun little decoration by regular contributor Gareth Halfacree. We think it's cute and we also love the wooden frame – a perfect little geeky decoration to keep at your work desk, we say!



Replying to @TheMagP1

Just re-purposed my @pimoroni Unicorn Hat powered home energy monitor into an animated Xmas tree, because why not?



Following

THIS MONTH IN PI

Wayne


Community

Following

Follow

Replying to @TheMagP1

My PiZeroW and @pihut XmasTree snow globe (snow machine and Sleigh Cam live stream yet to be turned on). May add a XmasTree Lights remote UI



TWITTER-ACTIVATED SNOW GLOBE magpi.cc/2AZZFaC

Spencer Organ decided to let you control his snow globe. It looks out for specific keywords in his Twitter mentions and lights up accordingly! It's a great little visual reminder of incoming tweets and generally a lovely looking project!



I'm really excited to share my Christmas @Raspberry_Pi @TheMagP1 @pimoroni project. If I get a mention with snow, party or Christmas my snow-globe will respond with different lighting effects. Full details, build guide and code

themakercupboard.space/projects/pi_fi ...



3:07 AM - 1 Dec 2017

3D XMAS TREE SNOW GLOBE magpi.cc/2B1WhMv

We love The Pi Hut's 3D Xmas Tree kit, but we must admit we never thought about using it in this way! You probably shouldn't shake it, though, otherwise the Pi might fly around the enclosure.







DIE HARD TREE ORNAMENT

magpi.cc/2B1kAdC

Yes, we all know *Die Hard* is a Christmas movie. That battle has been won. Last year a viral image was making the rounds of a John McClane Christmas decoration, which was pretty fun, but reddit user rj45jack decided to take it one step further and make it with a Pi and a screen. It's a bit brighter that way.

Community FEATURE

KICKSTART THIS!

Raspberry Pi projects you can crowdfund this month



PITALK

PI ZERO DOCKING HUB

kck.st/2Bf5EGg

This is a kit that will turn your Raspberry Pi into a smartphone! It's by SB Components, which has an excellent history of making top-quality Raspberry Pi kits, and we don't expect this to be any different. Due to the mobile data service integrated into it, you can easily use it for IoT applications for which you might not have WiFi access.

kck.st/2zQpt5E

This nice-looking project also has a very succinct description: "The Pi Zero USB Docking Hub is a stackable USB hub that comes with five USB 2.0 data and charging ports, a micro USB port for power input, an RJ45 port for Ethernet, and a 3.5 mm audio input/output jack. Installation would take only seconds."

BEST OF THE REST

Here are some other great things we saw this month

'ACCURATE' SNES EMULATOR

Emulation of Eighties and Nineties consoles on modern TVs can be very contentious due to how scanlines change the way games look. Raspberry Pis do have an analogue video out port, though, so Reddit user cadmiumredlight made use of that and installed a Pi 3 inside an old CRT TV. Perfect emulation.

ROOMBA-CHASING DRONE

Aldo Vargas built a drone that could visually identify and then automatically track a Roomba. Why? Well, the coding behind it is quite complicated, and it's a pretty cool achievement. Plus, the video looks amazing as the drone chases the Roomba around a pathway outside.



Amazing. Don't like specific M&M colours? Instead of asking you 'why', we'll just point you towards the latest project from our friends at Dexter Industries: an M&M sorter. It melds chocolate with LEGO and Raspberry Pi, so it ticks every box imaginable.

THIS MONTH IN PI


Community

REGISTERED FOR THE BIG BIRTHDAY WEEKEND? HERE'S WHAT'S NEXT

The Raspberry Pi Foundation wants to put on a global celebration for its sixth birthday. Here's how you can help







What do you need to do?

At this point, you should be looking for a venue, and aiming to book the date as soon as possible. Don't leave it too late, or you might have difficulty securing a location. If you need some advice on finding a venue, refer to the appropriate section in the Guidebook (**magpi.cc/2q9DHfQ**).

Once you've done that, you should create a sign-up page for your event (on Eventbrite, for example). Then you can submit your event to the Jam map (**rpf.io/jam**), and start to publicise it locally.

We're planning to produce some limited-edition 'tour' T-shirts for the Big Birthday Weekend and we'd like to include as many Jams as possible on the back print. To make sure your event gets included, submit your Jam to the map as soon as possible.

Stay connected

If you're not already a member, you might find it useful to join the Raspberry Jam community on Slack (**slack.com**), where Jam organisers share ideas and help each other. Just email **jam@raspberrypi.org** to request an invitation to join.



NEED HELP STARTING A JAM?

First of all, check out the Raspberry Jam page to read all about Jams, and take a look at our recent blog post explaining the support that we offer: **rpf.io/jam**.

If there's no Jam near you yet, the Raspberry Jam Big Birthday Weekend is the perfect opportunity to start one yourself! If you'd like some help getting your Jam off the ground, we've produced a free Raspberry Jam Guidebook full of advice gathered from the amazing people who run Jams in the UK. Download it from magpi.cc/2q9DHfQ.

If you have any further queries, email: jam@raspberrypi.org.

Community

COMMUNITY PROFILE

COMMUNITY **PROFILE**

CIRCUITBEARD

Web developer by day, resuscitator of retro technology by night. Meet **Matt 'Circuitbeard' Brailsford**

y day, Barnsley-based Matt Brailsford is the owner of Outfield Digital, a web development business where he spends his time creating sites using .NET CMS Umbraco. By night, he's Circuitbeard, toy hacker and nostalgia reigniter.

"I draw a lot of inspiration from my childhood and the tech and toys I used to play with as a child," Matt explains when discussing his hobby of hacking and upgrading old toys. "I find it fun to take things and reimagine them as they might have been had the original designers had the modern technology we have at our fingertips today."

The maker community became aware of Matt's hacking skills back in 2014 when a video of his NFC

Below Inspired by Frederick Vandenbosch, Matt's Zero USB Hub is a neat and tidy means to easily access standard ports on the smaller board: magpi.cc/2BiEgix Spotify media server began to make the rounds across social media and news sites. "One of my first makes was a cassette player converted into a Spotify player, which used cassette tapes containing NFC tags to choose the playlist."

No stranger to the pages of *The MagPi* magazine, Matt's projects have been featured before, including his recent Out Run arcade game using the Tomy Turnin' Turbo Dashboard toy that was originally released in 1983. By implementing a new LCD screen and hijacking the controls for the original game, Matt was able to turn the toy into a game-emulating arcade machine. And it was a true test of his skills to create. "The project itself was quite a big one for me, filled with several moments

Below By hacking a Grandstand Scramble machine to create the ROMBUS3000, Matt started his arcade building journey using hacked toys and parts: magpi.cc/2zYPhoy

Matt `Circuitbeard' Brailsford

C OUTFI DIGITA

Category: Maker/hacker Day job: Web developer Website: circuitbeard.co.uk twitter.com/circuitbeard magpi.cc/2BiX10f



MATT 'CIRCUITBEARD' BRAILSFORD

Community



of frustration, from burnt-out potentiometers, to soldering LEDs backwards, multiple TFT screen purchases, and more..."

Alongside his Out Run project, Matt has also produced several bartop arcade machines, again taking their inspiration from past toys and tech. And, most recently, he took Google's AIY Projects voice assistant to a new level, installing it within the body of the iconic Tomy Mr Money. Lacking the Voice Kit given away by *The MagPi*, Matt decided to use the Pimoroni Speaker pHAT and a Raspberry Pi Above Matt gained recent social media praise for his hack of a car toy to turn it into an Out Run arcade machine, complete with functional steering wheel

management aren't enough for you, he's also working hard to produce Things Network, an open initiative to bring a free-to-use, long-range IoT network to his local community. "The hope is it will bring new opportunities to local businesses and open up a new era in digital manufacturing."

And as for the future? "I've got a few projects I'd like to build and some skills I'd like to improve,"

I draw a lot of inspiration from my childhood and the tech and toys I used to play with as a child

Zero W, both small enough to fit within the restrictive body of the money-eating gadget. "Rather than just creating a plain old box for it, I decided to repurpose another beloved '80s toy of mine."

Outside of his hobbyist workspace, Matt also runs a local makerspace in Barnsley, called Barnsley.IO, and travels to Maker Faires in order to meet other like-minded makers and explore future releases. And if hacking, website-building, and makespace Matt reveals. Set to build his own mini pinball table, Matt would also like to work on his 3D-printing skills. "I've had one for a couple of years now and I've used it to build some components for my makes, but I've never really been impressed with my results."

Л

Inspired by makers like Colin Furze and Love Hultén, and set to dial in his maker skills to produce more builds in 2018, we're excited to see where the future takes Circuitbeard.



PROJECT HIGHLIGHTS

ROMBUS-CT COCKTAIL ARCADE

Matt's two-player ROMBUS-CT was inspired by a cocktail arcade cabinet video he came across online (youtu.be/DuT_CHWoQ_M). Using a fair bit of Pimoroni's Picade tech in the build, Matt was invited onto the company's YouTube show 'Bilge Tank' in 2016 to share his project with the world (youtu.be/joaaF-yOnlY).



SPOTIFY MEDIA SERVER

Matt's Spotify Media Server turned heads back in 2014 when a YouTube video for the build was shared across the tech world. NFC tags fitted within old cassette tapes direct the Raspberry Pi within to play specific Spotify playlists.



MR MONEY GOOGLE AIY ASSISTANT Fitting so much tech into a small container is always a challenge, but Matt somehow managed to cram a Pi Zero W, pHAT, speaker, and more inside his Tomy Mr Money. He even went so far as to alter the voice, raising the pitch to better suit the size of the little robot.

Community

RASPBERRY JAM EVENT CALENDAR

EVENTS

Find out what community-organised, Raspberry Pi-themed events are happening near you...

FIND OUT ABOUT **JAMS**

Want a Raspberry Jam in your area? Want to start one? Email Ben Nuttall about it: ben@raspberrypi.org

HIGHLIGHTED EVENTS

OXFORD RASPBERRY JAM

When: Saturday 27 January Where: Oxfordshire County Library, Oxford, UK

magpi.cc/2Am2h3y

Whether you're a beginner, family, or a committed enthusiast, the Oxford Jam team would love to see you at their first Jam.

EXETER RASPBERRY JAM

When: Saturday 6 January Where: Exeter Library, Exeter, UK magpi.cc/2Be2TZ6

There will be lots to do, plenty of help and advice, and Pis to play with at the Exeter Raspberry Jam – head south-west!

PRESTON RASPBERRY JAM

When: Monday 8 January Where: Media Factory Building, Preston, UK

magpi.cc/2Bct02L

Preston Raspberry Jam is a community of folk who meet each month to learn, create, and share the potential of the Raspberry Pi.

SWAB PI INTEREST GROUP

When: Wednesday 10 January Where: Roebuck Pub, Winchester, UK

magpi.cc/1PgyqaY

The Southampton, Winchester, Andover & Basingstoke Pi Interest Group is a relaxed event for playing around with Pi.

REGULAR EVENTS

CORNWALL TECH JAM

When: Saturday 13 January Where: Penwith College, Penzance, UK cornwalltechjam.uk For anyone interested in technology, of all ages and abilities. Ask questions and learn about programming in Scratch, Python, Minecraft, and much more.

MANCHESTER RASPBERRY JAM

When: Saturday 13 January Where: The Shed, Manchester, UK magpi.cc/2AlS7QA Through this event, the hope is to share the excitement of technology

with the programmers, engineers, and makers of the future.





EVENTS

Community



WE'VE HIGHLIGHTED SOME OF THE AREAS IN NEED OF A JAM! CAN YOU HELP OUT?



PRESTON RASPBERRY JAM Preston, UK

6 MANCHESTER RASPBERRY JAM Manchester, UK

COTSWOLD RASPBERRY JAM

OXFORD RASPBERRY JAM Oxford, UK

SWAB PI INTEREST GROUP Winchester, UK

2 EXETER RASPBER Exeter, UK -

RASPBERRY JAM

CORNWALL TECH JAM

COTSWOLD RASPBERRY JAM

When: Saturday 27 January Where: Park Campus, Cheltenham, UK cotswoldjam.org

Taking place at the University of Gloucestershire, this event showcases the Raspberry Pi computer and helps people to learn all about it.

HULL RASPBERRY JAM

When: Saturday 27 January Where: Hull Central Library, Hull, UK magpi.cc/2AlbDNb

There'll be chances to get hands-on with more digital making activities through workshops and a hackspace area to share projects and give lightning talks.

RASPBERRY JAM ADVICE

PLANNING THE ACTIVITIES

"We tend to visit other Jams to see what inspires us. We then approach that person to come and run the same workshop at our Jam. As time goes on, we will try to focus more on children giving the workshops."

> Marcus Tyler-Moor Horsham Raspberry Jam

Every Raspberry Jam is entitled to apply for a Jam starter kit, which includes magazine issues, printed worksheets, stickers, flyers, and more. Get the guidebook here: magpi.cc/2q9DHfQ



Community

YOUR LETTERS

MAGAZINE GIVEAWAYS

I've been thinking of getting a subscription to *The MagPi*. However, I had a few questions about your special giveaways like the AIY Projects kit. First of all, do these special issues cost extra as part of the subscription? Also, how often do you do them? **Timothy R**

Nope Timothy, all of our giveaways on special issues have been free and included with the standard price of the magazine. This means whether you buy them in a shop, online, or if you subscribe. We don't have a set schedule for giveaways on the mag and a lot depends on outside factors beyond our control. However, we always want to do more of them in the future where we can.

Subscribing is also a great way to help support the Raspberry Pi Foundation, as all our profits are sent directly to them so they can continue their charitable mission!

DONATING OLD MAGPIS

I saw the letter in the November issue about recycling old copies of *The MagPi* to go to makerspaces and such.

I help organise the Riverside Raspberry Pi user group in Riverside, CA. We probably don't have the funds to pay for shipping, but I would like to build a library of *The MagPi* issues for use by our members (any duplicates would be made available to our members to keep for free). So if you have people willing to ship them, we would gladly accept them.

Depending on the response you got from this post, I could see there being many people wanting to donate, so maybe connecting us up to a select number of people might be a good idea.

Let me know what your thoughts are on this. **Brian**

Since our initial letter in the magazine, you're the first person to contact us about this, Brian. Unfortunately, we've had no offers from other people with used or unwanted issues, so we're unable to help you with getting some issues at this time.

However, we've started up a thread on the forum to try to encourage people to donate issues of *The MagPi* if they have any spare. At the moment it's an experiment, but do take a look on there and see if people are offering anything: **magpi.cc/2BB4yZ1**.


Raspberry Pi resources

I've recently begun showing people the Raspberry Pi and how to use it. I really want to expand my repertoire on what I can demo with the Raspberry Pi, and any extra materials I can then send people so they can learn more. I don't suppose you could send us any spare issues of the magazine? Otherwise, what kind of resources can I find online? Karen

Unfortunately, Karen, we don't get enough spare physical copies to do that. However, every issue of *The MagPi* is available for free online as a PDF. You can always get them printed it off if you want, or at least your favourite tutorials.

As for other resources, the Raspberry Pi Foundation has a ton of free learning resources on its website, which you can find here: **magpi.cc/1qEg9Nh**.

There's a lot of free learning to be had for the Raspberry Pi – take a look at these and see if there's anything worth giving folks you're showing the Pi off to!



Above It's easy to get started with Raspberry Pi using our guides and online learning resources

YOUR LETTERS

Community

FROM THE FORUM: AIY PROJECTS VISION KITS IN THE UK

WRITE TO US

Have you got something you'd like to say? Get in touch via magpi@raspberrypi.org or on The MagPi section of the forum at: raspberrypi.org/forums

The Raspberry Pi Forum is a hotbed of conversations and problem-solving for the community – join in via **raspberrypi.org/forums**

was just reading *The MagPi* and I am really wanting the AIY Vision Kit! However, where will I be able to buy the kit in the UK? The AIY Voice Kit is only available for in-store pick-up, so I am presuming the Vision Kit will be the same. Even if it is available for delivery, it will probably cost a fortune to ship it to the UK. KanoMaster22

For the moment, the AIY Vision Kit is only be available from Micro Center, in the US. We know Google is planning to make more Vision Kit devices available in the next few months, and these will be available across the EU (including the UK). Make sure to pay attention to the mag to know when the kits go on general sale. Also, sign up to our mailing list so we can let you know as soon as possible: **magpi.cc/Email-me**.

The new AIY Vision Kit is a smart camera, and a sibling kit to the Voice Kit that was included with issue 57




DINrPlate[™]

The simple way to mount your Pi!

- Industrial DIN rail mount
- Open frame for better airflow
- Integrated USB strain relief




www.**DIN**rPlate.com



IN YOUR SCHOOL!

Code Club is a network of volunteers and educators who run free coding clubs for young people aged 9-13.

Our aim is to inspire the next generation to get excited about computer science and digital making.




We have over 6000 clubs across the UK teaching more than 80,000 young people to code—come and join us!"

Find out more at www.codeclub.org.uk



<section-header>In association with
Pi SupplyPi Supply

"Power your Raspberry Pi and provide an Ethernet connection in any location with just a single cable" Learn more: magpi.cc/2BHV9uD



Enter now at magpi.cc/WinJan18

Terms & Conditions

Competition opens on **20 December 2017** and closes on **25 January 2018**. Prize is offered to participants worldwide aged 13 or over, except employees of the Raspberry Pi Foundation, the prize supplier, their families or friends. Winners will be notified by email no more than 30 days after the competition closes. By entering the competition, the winner consents to any publicity generated from the competition, in print and online. Participants agree to receive occasional newsletters from The MagPi magazine. We don't like spam: participants' details will remain strictly confidential and won't be shared with third parties. Prizes are non-negotiable and no cash alternative will be offered. This promotion is in no way sponsored, endorsed or administered by, or associated with, Instagram or Facebook.

Column

THE FINAL WORD

MATT RICHARDSON

Matt Richardson is the Executive Director of the Raspberry Pi Foundation North America and author of *Getting Started* with Raspberry Pi. Contact him on Twitter @MattRichardson.

THE LAY OF THE LAND

Matt Richardson welcomes new users to the Raspberry Pi community

ow that it's Christmas, a lot of people will find Raspberry Pis in their stocking or under the Christmas tree. And that means a lot of new users will join our community. If you're among that group, I'm happy to welcome you to the world of Raspberry Pi! You're joining a massive community of enthusiasts with a wide range of skill levels, from complete beginners to computer experts. And there are so many possible ways to use Raspberry Pi that entering this community could feel a little daunting at first. I want you to feel comfortable as a new Raspberry Pi community member, so let me give you the lay of the land.

Whether you plan to use our affordable computer for a particular project that you already have in mind or you hope to experiment and improve your computer skills, there's no shortage of support and inspiration out there. The fact that you're reading *The MagPi* is a great first step. Every month, you'll receive a well-curated selection of projects, community member profiles, and news from the Raspberry Pi community. I should point out that every issue of *The MagPi* is available as a free PDF download, so there's a huge catalogue of content to browse when you're looking for inspiration.


If you need a daily fix of community updates, then be sure to check out the Raspberry Pi blog, which is featured at the top of **raspberrypi.org**. You can also stay up to date with us throughout the day by following the Raspberry Pi Foundation on Twitter, Facebook, YouTube, and Instagram. If you prefer email updates, then subscribe to Raspberry Pi Weekly, which is a digest of the week's news delivered straight to your inbox. For those of you who want to make and learn, we have a large collection of projects at **projects.raspberrypi.org**. These step-by-step guides are categorised by topics such as games, jokes, photography, and robots. They're designed with learning in mind, so they don't just tell you what to click or what to type. They guide you through the process of making a project, but they challenge you at the same time. Hints are available throughout the projects so although you'll be challenged, you'll never get stuck. These projects are the best way to explore the concepts of computing and digital making.

If you run into any trouble getting started with the Pi, the Raspberry Pi forums are where you should turn for support. There are tons of community members who help each other out there. Keep in mind that there are over one million posts in the forum, so run a quick search before you post your own question... chances are someone has asked the exact same thing that you're trying to figure out.

And our community members don't only meet online. They also get together in person at Raspberry Jams. These community-led events take many different forms, from just a few people meeting together to very large events with hundreds of people. To find a Jam near you, or to start your own, go to raspberrypi.org/jam.

As you'll learn, the world of Raspberry Pi is a massive one, but it's rich with quality content, a supportive community, and no shortage of inspiration. I'm delighted to welcome you here and I hope you'll show the rest of the community what you make with Raspberry Pi. Merry Christmas and a very Happy New Year!

THE Official RASPBERRY PI BEGINNER'S BOOK



LEARN COMPUTING THE EASY WAY!


Includes

Available

- 🛑 Pi Zero W computer
- Official case with three covers
- USB and HDMI adaptors
- 8GB Micro SD card
- 116-page beginner's book

Buy online: store.rpipress.cc







Raspberry Pi For Dummies Booklet


CĶ

- 📂 Raspberry Pi 3 Board
- Memory Card
- 📂 Plastic Case
- 2.5A Power Supply
- 📂 HDMI Cable
- 🖊 Resistors
- 🖊 LEDs
- 📂 Push Button Switches
- 🛩 Prototyping Breadboard
- Jumper Wires
- 📂 Heat Sinks

DUMMIES A Wiley Brand

Available for worldwide shipping at:

WWW.CANAKIT.COM









£69^{.99} EXCLUDING VAT

Raspberry Pi is a registered trademark of the Raspberry Pi Foundation. For Dummies and the Dummies Man logo are trademarks or registered rademarks of John Wiley & Sons, Inc. Used under license. RS logo is registered trademark of RS Components Ltd. CanaKit is a registered rademark of Cana Kit Corporation.



 \bigcirc